


### **Applications**


- Defense & Aerospace
- Broadband Wireless



#### **Product Features**

- Frequency Range: DC 18 GHz
  50.5 dBm Nominal P<sub>SAT</sub> at 3 GHz
- 70.5% Maximum PAE
- 19.2 dB Nominal Power Gain at 3 GHz
- Bias:  $V_D = 12 32 \text{ V}$ ,  $I_{DQ} = 400 2000 \text{ mA}$
- Technology: TQGaN25 on SiC
- Chip Dimensions: 0.82 x 4.56 x 0.10 mm

# **Functional Block Diagram**



#### **General Description**

The TriQuint TGF2023-2-20 is a discrete 20 mm GaN on SiC HEMT which operates from DC-18 GHz. The TGF2023-2-20 is designed using TriQuint's proven TQGaN25 production process. This process features advanced field plate techniques to optimize microwave power and efficiency at high drain bias operating conditions.

The TGF2023-2-20 typically provides 50.5 dBm of saturated output power with power gain of 19.2 dB at 3 GHz. The maximum power added efficiency is 70.5 % which makes the TGF2023-2-20 appropriate for high efficiency applications.

Lead-free and RoHS compliant

# **Pad Configuration**

Pad No.	Symbol
1-16	V <sub>G</sub> / RF IN
17	V <sub>D</sub> / RF OUT
Backside	Source / Ground

# **Ordering Information**

Part	ECCN	Description
TGF2023-2-20	3A001b.3.b	90 Watt GaN HEMT

Datasheet: Rev C 09-27-13 © 2013 TriQuint

- 1 of 14 -

Disclaimer: Subject to change without notice www.triquint.com





## **Absolute Maximum Ratings**

Parameter	Value		
Drain to Gate Voltage (V <sub>DG</sub> )	100 V		
Drain Voltage (V <sub>D</sub> )	40 V		
Gate Voltage Range (V <sub>G</sub> )	–50 to 0 V		
Drain Current (I <sub>D</sub> )	20 A		
Gate Current (I <sub>G</sub> )	–20 to 56 mA		
Power Dissipation (P <sub>D</sub> )	See graph on pg.3.		
CW Input Power (P <sub>IN</sub> )	+43 dBm		
Channel Temperature (T <sub>CH</sub> )	275℃		
Mounting Temperature (30 Sec.)	320℃		
Storage Temperature	–65 to 150℃		

Operation of this device outside the parameter ranges given above may cause permanent damage. These are stress ratings only, and functional operation of the device at these conditions is not implied.

### **Recommended Operating Conditions**

Parameter	Value
Drain Voltage Range (V <sub>D</sub> )	12 – 32 V
Drain Quiescent Current (I <sub>DQ</sub> )	1 A
Drain Current Under RF Drive (ID)	6 A (Typ.)
Gate Voltage (V <sub>G</sub> )	–3.0 V (Typ.)
Channel Temperature (T <sub>CH</sub> )	225℃ (Max.)

Electrical specifications are measured at specified test conditions. Specifications are not guaranteed over all recommended operating conditions.

# **RF Characterization – Model Optimum Power Tune**

Test conditions unless otherwise noted: T = 25 °C, Bond wires not included

Parameter	Typical Value							Units	
Frequency (F)	3			6				GHz	
Drain Voltage (V <sub>D</sub> )	12	12	28	28	12	12	28	28	V
Bias Current (I <sub>DQ</sub> )	400	1000	400	1000	400	1000	400	1000	mA
Output P3dB (P <sub>3dB</sub> )	46.3	46.4	50.5	50.3	46.5	46.2	50.4	50.2	dBm
PAE @ P <sub>3dB</sub> (PAE <sub>3dB</sub> )	54.9	55.6	62.1	62.1	52.8	51.6	56.0	58.1	%
Gain @ P3dB (G <sub>3dB</sub> )	15.6	16.6	16.6	19.6	9.8	11.4	10.9	13.7	dB
Parallel Resistance (1) (Rp)	23.0	23.2	66.6	65.7	21.5	20.5	62.2	60.4	Ω·mm
Parallel Capacitance (1) (Cp)	0.63	0.54	0.25	0.28	0.32	0.31	0.27	0.29	pF/mm
Load Reflection Coefficient (2) (Γ <sub>L</sub> )	0.58∠171°	0.57∠172°	0.19∠128°	0.21∠128°	0.60∠172°	0.61∠173°	0.36∠129°	0.38∠131°	

#### Notes:

- 1. Large signal equivalent output network (normalized).
- 2. Characteristic Impedance (Zo) =  $4 \Omega$ .

# **RF Characterization – Model Optimum Efficiency Tune**

Test conditions unless otherwise noted: T = 25 °C, Bond wires not included

Parameter	Typical Value							Units	
Frequency (F)	3			6				GHz	
Drain Voltage (V <sub>D</sub> )	12	12	28	28	12	12	28	28	V
Bias Current (I <sub>DQ</sub> )	400	1000	400	1000	400	1000	400	1000	mA
Output P3dB (P <sub>3dB</sub> )	43.9	44.2	48.9	48.9	44.1	44.0	49.4	49.1	dBm
PAE @ P <sub>3dB</sub> (PAE <sub>3dB</sub> )	70.3	69.8	70.5	69.5	66.1	64.8	63.2	64.8	%
Gain @ P3dB (G <sub>3dB</sub> )	16.0	16.2	18.5	20.7	12.1	13.6	11.9	14.6	dB
Parallel Resistance (1) (R <sub>p</sub> )	76.9	73.4	131	125	61.1	58.7	102	102	$\Omega{\cdot}mm$
Parallel Capacitance (1) (Cp)	0.52	0.51	0.42	0.40	0.48	0.46	0.38	0.38	pF/mm
Load Reflection Coefficient (2) (ΓL)	0.36∠114°	0.35∠117°	0.43∠80°	0.40∠79°	0.54∠134°	0.52∠135°	0.55∠112°	0.55∠112°	

#### Notes:

- 1. Large signal equivalent output network (normalized).
- 2. Characteristic Impedance (Zo) =  $4 \Omega$ .

Datasheet: Rev C 09-27-13

© 2013 TriQuint

- 2 of 14 - Disclaimer: Subject to change without notice www.triquint.com




# Thermal and Reliability Information (1)


Parameter	Test Conditions	Value	Units
Thermal Resistance, $\theta_{JC}$ (No RF Drive)	V 00 V 1 0 A	1.52	ºC/W
Channel Temperature, T <sub>CH</sub> (No RF Drive)	V <sub>D</sub> = 28 V, I <sub>D</sub> = 2 A, P <sub>D</sub> = 56 W, Tbaseplate = 70 ℃	155	$^{\circ}$
Median Lifetime, T <sub>M</sub> (No RF Drive)	1 b = 30 w, 1baseplate = 70 0	1.02 x 10^9	Hrs
Thermal Resistance, $\theta_{JC}$ (Under RF Drive)	$V_D = 28 \text{ V}, I_D = 5.92 \text{ A},$	1.67	°C/W
Channel Temperature, T <sub>CH</sub> (Under RF Drive)	$P_D = 79.3 \text{ W}, P_{OUT} = 49.6 \text{ dBm},$	202	°C
Median Lifetime, T <sub>M</sub> (Under RF Drive)	Tbaseplate = 70 ℃	1.06 x 10^7	Hrs

Notes:


#### **Median Lifetime**




#### **Thermal Resistance**



# **Model Maximum Gain Performance**







<sup>1.</sup> Assumes eutectic attach using 1mil thick 80/20 AuSn mounted to a 10 mil CuMo Carrier Plate.





### **Model Load Pull Contours**

Simulated signal: 10% pulses. Bond wires not included.















### **Model Load Pull Contours**

Simulated signal: 10% pulses. Bond wires not included.











- 5 of 14 -




#### **Model Power Tuned Data**


Simulated signal: 10% pulses.







Source  $\Gamma$ : fo: 0.91 $\angle$ 131°, 2fo: 0, 3fo: 0 Load  $\Gamma$ : fo: 0.58 $\angle$ 171°, 2fo: 0, 3fo: 0





Source  $\Gamma$ : fo: 0.91 $\angle$ 131°, 2fo: 0, 3fo: 0 Load  $\Gamma$ : fo: 0.57 $\angle$ 172°, 2fo: 0, 3fo: 0






Source  $\Gamma$ : fo: 0.84 $\angle$ 135°, 2fo: 0, 3fo: 0 Load  $\Gamma$ : fo: 0.19 $\angle$ 128°, 2fo: 0, 3fo: 0


- 6 of 14 -




### **Model Power Tuned Data**


Simulated signal: 10% pulses.







Source  $\Gamma$ : fo: 0.84 $\angle$ 135°, 2fo: 0, 3fo: 0 Load  $\Gamma$ : fo: 0.21 $\angle$ 128°, 2fo: 0, 3fo: 0





Source  $\Gamma$ : fo: 0.85 $\angle$ 164°, 2fo: 0, 3fo: 0 Load  $\Gamma$ : fo: 0.60 $\angle$ 172°, 2fo: 0, 3fo: 0





Source  $\Gamma$ : fo: 0.85 $\angle$ 164°, 2fo: 0, 3fo: 0 Load  $\Gamma$ : fo: 0.61 $\angle$ 173°, 2fo: 0, 3fo: 0

- 7 of 14 -


Datasheet: Rev C 09-27-13 © 2013 TriQuint


Disclaimer: Subject to change without notice www.triquint.com




# **Model Power Tuned Data**


Simulated signal: 10% pulses.





Source  $\Gamma$ : fo: 0.85 $\angle$ 164°, 2fo: 0, 3fo: 0 Load  $\Gamma$ : fo: 0.36 $\angle$ 129°, 2fo: 0, 3fo: 0






Source  $\Gamma$ : fo: 0.85 $\angle$ 164°, 2fo: 0, 3fo: 0 Load  $\Gamma$ : fo: 0.38 $\angle$ 131°, 2fo: 0, 3fo: 0


- 8 of 14 -




## **Model Efficiency Tuned Data**


Simulated signal: 10% pulses.







Source  $\Gamma$ : fo: 0.91 $\angle$ 131°, 2fo: 0, 3fo: 0 Load  $\Gamma$ : fo: 0.36 $\angle$ 114°, 2fo: 0, 3fo: 0





Source  $\Gamma$ : fo: 0.91 $\angle$ 131°, 2fo: 0, 3fo: 0 Load  $\Gamma$ : fo: 0.35 $\angle$ 117°, 2fo: 0, 3fo: 0






Source Γ: fo: 0.84∠135°, 2fo: 0, 3fo: 0 Load Γ: fo: 0.43∠80°, 2fo: 0, 3fo: 0


- 9 of 14 -




## **Model Efficiency Tuned Data**


Simulated signal: 10% pulses.







Source  $\Gamma$ : fo: 0.84 $\angle$ 135°, 2fo: 0, 3fo: 0 Load  $\Gamma$ : fo: 0.40 $\angle$ 79°, 2fo: 0, 3fo: 0





Source  $\Gamma$ : fo: 0.85 $\angle$ 164°, 2fo: 0, 3fo: 0 Load  $\Gamma$ : fo: 0.54 $\angle$ 134°, 2fo: 0, 3fo: 0






Source  $\Gamma$ : fo: 0.85 $\angle$ 164°, 2fo: 0, 3fo: 0 Load  $\Gamma$ : fo: 0.52 $\angle$ 135°, 2fo: 0, 3fo: 0


- 10 of 14 -




# **Model Efficiency Tuned Data**


Simulated signal: 10% pulses.





Source Γ: fo: 0.85∠164°, 2fo: 0, 3fo: 0 Load Γ: fo: 0.55∠112°, 2fo: 0, 3fo: 0





Source Γ: fo: 0.85∠164°, 2fo: 0, 3fo: 0 Load Γ: fo: 0.55∠112°, 2fo: 0, 3fo: 0

- 11 of 14 -




# Model

A model is available for download from Modelithics (at <a href="http://www.modelithics.com/mvp/Triquint&tab=3">http://www.modelithics.com/mvp/Triquint&tab=3</a>) by approved TriQuint customers. The model is compatible with the industry's most popular design software including Agilent ADS and National Instruments/AWR applications. Once on the Modelithics web page, the user will need to register for a free license before being granted the download.

- 12 of 14 -

### **Mechanical Drawing**



#### **Bond Pads**

Pad No.	Description	Dimensions
1-16	Gate	0.154 x 0.115
2	Drain	0.154 x 4.130
Die Backside	Source / Ground	0.824 x 4.562

#### Notes:

Units: millimeters
 Thickness: 0.100 mm

3. Die x,y size tolerance: ± 0.050 mm

#### 90 Watt Discrete Power GaN on SiC HEMT

#### **Assembly Notes**

Component placement and adhesive attachment assembly notes:

- Vacuum pencils and/or vacuum collets are the preferred method of pick up.
- Air bridges must be avoided during placement.
- The force impact is critical during auto placement.
- Organic attachment (i.e. epoxy) not recommended.

#### Reflow process assembly notes:

- Use AuSn (80/20) solder and limit exposure to temperatures above 300°C to 3-4 minutes, maximum.
- An alloy station or conveyor furnace with reducing atmosphere should be used.
- Do not use any kind of flux.
- Coefficient of thermal expansion matching is critical for long-term reliability.
- Devices must be stored in a dry nitrogen atmosphere.

#### Interconnect process assembly notes:

- Ball bonding is the preferred interconnect technique, except where noted on the assembly diagram.
- Force, time, and ultrasonics are critical bonding parameters.
- Aluminum wire should not be used.
- Devices with small pad sizes should be bonded with 0.0007-inch wire.

#### **Disclaimer**

GaN/SiC devices are susceptible to damage from Electrostatic Discharge. Proper precautions should be observed during handling, assembly and test.

# **Bias-up Procedure**

- 1.  $V_G$  set to -5 V.
- 2. V<sub>D</sub> set to 28 V.
- 3. Adjust V<sub>G</sub> more positive until quiescent I<sub>D</sub> is 2 A.
- 4. Apply RF signal.

#### **Bias-down Procedure**

- 1. Turn off RF signal.
- Turn off V<sub>D</sub> and wait 1 second to allow drain capacitor dissipation.
- 3. Turn off V<sub>G</sub>.





# **Product Compliance Information**

#### **ESD Sensitivity Ratings**



Caution! ESD-Sensitive Device

ESD Rating: TBD Value: TBD Test: TBD Standard: TBD

#### **Solderability**

Compatible with gold/tin (320°C maximum reflow temperature) soldering processes.

#### **RoHs Compliance**

This part is compliant with EU 2002/95/EC RoHS directive (Restrictions on the Use of Certain Hazardous Substances in Electrical and Electronic Equipment).

This product also has the following attributes:

- Lead Free
- Halogen Free (Chlorine, Bromine)
- Antimony Free
- TBBP-A (C<sub>15</sub>H<sub>12</sub>Br<sub>4</sub>0<sub>2</sub>) Free
- PFOS Free
- SVHC Free

#### **Contact Information**

For the latest specifications, additional product information, worldwide sales and distribution locations, and information about TriQuint:

Web: <u>www.triquint.com</u> Tel: +1.972.994.8465 Email: <u>info-sales@triquint.com</u> Fax: +1.972.994.8504

For technical questions and application information: Email: info-products@triquint.com

# **Important Notice**

The information contained herein is believed to be reliable. TriQuint makes no warranties regarding the information contained herein. TriQuint assumes no responsibility or liability whatsoever for any of the information contained herein. TriQuint assumes no responsibility or liability whatsoever for the use of the information contained herein. The information contained herein is provided "AS IS, WHERE IS" and with all faults, and the entire risk associated with such information is entirely with the user. All information contained herein is subject to change without notice. Customers should obtain and verify the latest relevant information before placing orders for TriQuint products. The information contained herein or any use of such information does not grant, explicitly or implicitly, to any party any patent rights, licenses, or any other intellectual property rights, whether with regard to such information itself or anything described by such information.

TriQuint products are not warranted or authorized for use as critical components in medical, life-saving, or life-sustaining applications, or other applications where a failure would reasonably be expected to cause severe personal injury or death.