

Silicon Epitaxial Planar Transistor

2SD2114

FEATURES

- High DC current gain.
- High emitter-base voltage.
- Low $V_{CE(sat)}$.
- RoHS compliant with Halogen-free


HF

APPLICATIONS

- General purpose amplifiers.

ORDERING INFORMATION

Type No.	Marking	Package Code
2SD2114-X	BBX	SOT-23
2SD2114-V	BBV	SOT-23
2SD2114-W	BBW	SOT-23



MAXIMUM RATING @ Ta=25°C unless otherwise specified

Symbol	Parameter	Value	Units
V_{CBO}	Collector-Base Voltage	25	V
V_{CEO}	Collector-Emitter Voltage	20	V
V_{EBO}	Emitter-Base Voltage	12	V
I_C	Collector Current -Continuous	500	mA
P_C	Collector Dissipation	200	mW
T_j, T_{stg}	Junction and Storage Temperature	-55 to +150	°C

Silicon Epitaxial Planar Transistor

2SD2114

ELECTRICAL CHARACTERISTICS @ Ta=25°C unless otherwise specified

Parameter	Symbol	Test conditions	MIN	TYP	MAX	UNIT
Collector-base breakdown voltage	$V_{(BR)CBO}$	$I_C=10\mu A, I_E=0$	25			V
Collector-emitter breakdown voltage	$V_{(BR)CEO}$	$I_C=1mA, I_B=0$	20			V
Emitter-base breakdown voltage	$V_{(BR)EBO}$	$I_E=10\mu A, I_C=0$	12			V
Collector cut-off current	I_{CBO}	$V_{CB}=20V, I_E=0$			0.5	μA
Emitter cut-off current	I_{EBO}	$V_{EB}=10V, I_C=0$			0.5	μA
DC current gain	h_{FE}	$V_{CE}=3V, I_C=10mA$	300		2700	
Collector-emitter saturation voltage	$V_{CE(sat)}$	$I_C=500mA, I_B=20mA$		0.18	0.4	V
Output capacitance	C_{ob}	$V_{CB}=10V, I_E=0, f=1MHz$		8		pF
Transition frequency	f_T	$V_{CE}=10V, I_E=-50mA$ $f=100MHz$	350			MHz

CLASSIFICATION OF $h_{FE(1)}$

Rank	X	V	W
Range	300-600	600-1800	1200-2700
Marking	BBX	BBV	BBW

TYPICAL CHARACTERISTICS @ Ta=25°C unless otherwise specified




Fig.1 Grounded emitter output characteristics







Fig.2 Grounded emitter propagation characteristics

Silicon Epitaxial Planar Transistor

2SD2114




Silicon Epitaxial Planar Transistor

2SD2114


PACKAGE OUTLINE

Plastic surface mounted package

SOT-23



SOLDERING FOOTPRINT



PACKAGE INFORMATION

Device	Package	Shipping
2SD2114	SOT-23	3000 pcs / Tape & Reel