



XGPU2.E156388
Thermistor + Type + Devices + - + Component

[Page Bottom](#)

Thermistor - type Devices - Component

[See General Information for Thermistor-type Devices - Component](#)

DSC ELECTRONICS CO LTD

E156388

9-2 SUYOUNG-RI

BONGDAM-EUP

HWASUNG-KUN, KYONGGI-DO 445-890 REPUBLIC OF KOREA

Limiting NTC Devices

Model No.	Voltage (V)	Current (A)		Max Load Capacitance (uF)	Class	CA
		I max	I ss			
DSC-5D-5	240	2.0	2.0	47	C3	#
DSC-10D-5	240	1.0	1.0	47	C3	#
DSC-20D-5	240	0.3	0.3	47	C3	#
DSC-8D-7	240	2.3	2.3	68	C3	#
DSC-10D-7	240	2.3	2.3	100	C3	#
DSC-12D-7	240	2.0	2.0	100	C3	#
DSC-16D-7	240	1.5	1.5	100	C3	#
DSC-22D-7	240	1.5	1.5	100	C3	#
DSC-30D-7	240	1.2	1.2	100	C3	#
DSC-50D-7	240	4.0	4.0	68	C2	#
DSC-12D-9	240	3.0	3.0	100	C2	#
DSC-18D-9	240	2.5	2.5	100	C2	#
DSC-22D-9	240	2.0	2.0	150	C2	#
DSC-50D-9	240	1.4	1.4	150	C2	#
DSC-2.5D-11	240	5.0	5.0	150	C3	#
DSC-3D-11	240	4.0	4.0	150	C3	#
DSC-4D-11	240	4.0	4.0	150	C3	#
DSC-6D-11	240	4.0	4.0	150	C3	#

DSC-7D-11	240	3.0	3.0	330	C3	#
DSC-8D-11	240	3.0	3.0	330	C3	#
DSC-10D-11	240	3.0	3.0	330	C3	#
DSC-12D-11	240	3.0	3.0	330	C3	#
DSC-13D-11	240	2.5	2.5	330	C3	#
DSC-15D-11	240	2.5	2.5	330	C3	#
DSC-16D-11	240	2.5	2.5	330	C3	#
DSC-20D-11	240	2.5	2.5	330	C3	#
DSC-25D-11	240	2.0	2.0	330	C3	#
DSC-30D-11	240	2.0	2.0	330	C3	#
DSC-47D-11	240	2.0	2.0	330	C3	#
DSC-50D-11	240	2.0	2.0	330	C3	#
DSC-80D-11	240	1.0	1.0	390	C3	#
DSC-120D-11	240	1.0	1.0	390	C1	#
DSC-1.3D-13	240	7.0	7.0	47	C2	#
DSC-2.5D-13	240	5.0	5.0	68	C2	#
DSC-3D-13	240	5.0	5.0	68	C2	#
DSC-6D-13	240	5.0	5.0	150	C2	#
DSC-7D-13	240	4.0	4.0	330	C2	#
DSC-10D-13	240	4.0	4.0	330	C2	#
DSC-12D-13	240	3.0	3.0	390	C2	#
DSC-15D-13	240	3.0	3.0	560	C2	#
DSC-16D-13	240	3.0	3.0	560	C2	#
DSC-18D-13	240	2.8	2.8	470	C2	#
DSC-20D-13	240	2.8	2.8	470	C2	#
DSC-25D-13	240	2.0	2.0	560	C2	#
DSC-50D-13	240	2.0	2.0	560	C2	#
DSC-1.3D-15	240	8.0	8.0	47	C1	#
DSC-1.5D-15	240	8.0	8.0	100	C1	#
DSC-6D-15	240	6.0	6.0	330	C1	#
DSC-12D-15	240	4.0	4.0	560	C1	#
DSC-15D-15	240	4.0	4.0	680	C1	#
DSC-16D-15	240	4.0	4.0	680	C1	#
DSC-18D-15	240	4.0	4.0	680	C1	#
DSC-20D-15	240	4.0	4.0	680	C1	#
DSC-25D-15	240	3.0	3.0	680	C1	#
DSC-30D-15	240	3.0	3.0	680	C1	#

DSC-40D-15	240	3.0	3.0	1000	C1	#
DSC-47D-15	240	3.0	3.0	1000	C1	#
DSC-80D-15	240	2.5	2.5	680	C1	#
DSC-120D-15	240	2.0	2.0	1000	C1	#
DSC-220D-15	240	1.0	1.0	1500	C1	#
DSC-0.7D-20	240	12.0	12.0	470	C3	#
DSC-1.3D-20	240	8.0	8.0	470	C3	#
DSC-2.5D-20	240	8.0	8.0	330	C3	#
DSC-5D-20	240	7.0	7.0	390	C3	#
DSC-6D-20	240	6.0	6.0	470	C3	#
DSC-10D-20	240	6.0	6.0	560	C3	#
DSC-12D-20	240	5.0	5.0	680	C3	#
DSC-120D-20	240	2.0	2.0	1500	C3	#

Limiting NTC Devices

Model No.	Voltage (V)	Current (A)		Max Load Capacitance (uF)	Class	CA
		I max	I ss			
DSC-5D-7	240	1.8	1.8	150	C4	#
DSC-5D-9	240	2.6	2.6	300	C2	#
DSC-8D-9	240	2.3	2.3	280	C3	#
DSC-10D-9	240	2.0	2.0	250	C3	#
DSC-5D-11	240	3.0	3.0	550	C2	#
DSC-8D-11	240	2.8	2.8	500	C4	#
DSC-10D-11	240	2.5	2.5	450	C4	#
DSC-5D-13	240	3.8	3.8	700	C4	#
DSC-8D-13	240	3.0	3.0	600	C2	#
DSC-10D-13	240	2.8	2.8	550	C2	#
DSC-2.5D-15	240	5.0	5.0	950	C4	#
DSC-3D-15	240	4.8	4.8	900	C4	#
DSC-5D-15	240	4.5	4.5	850	C4	#
DSC-8D-15	240	4.0	4.0	750	C4	#
DSC-10D-15	240	3.8	3.8	750	C4	#
DSC-20D-20	240	3.5	3.5	1000	C1	#

Marking: Company name, catalog designation trademark "DSC" or E156338 on each device or smallest package.

[Last Updated](#) on 2007-12-28