


## **ESD5V6WT**

## Silicon Epitaxial Planar Diode

#### **Features**

- \* Ultra small mold type
- \* Bi-direction high reliability
- \* High reliability
- \* By chip-mounter, automatic mounting is possible
- \* ESD protection diode





SOD-523F					
DIM	INCHES		MM		
	MIN	MAX	MIN	MAX	
Α	0.059	0.067	1.50	1.70	
В	0.030	0.033	0.75	0.85	
С	0.045	0.049	1.15	1.25	
D	0.012	0.016	0.30	0.40	
Е	0.024	0.028	0.60	0.70	
F	0.004	0.005	0.10	0.14	

### **Maximum Ratings** (T<sub>A</sub>=25 °C unless otherwise noted)

Parameter	Symbol	Value	Unit
Peak Pulse Power (tp = 10 X 1000 μs)	Ррк	10	W
Power Dissipation	PD	150	mW
Junction Temperature	Tj	150	${\mathbb C}$
Storage Temperature Range	T <sub>stg</sub>	- 55 to + 150	${\mathbb C}$
Operation Temperature Range	Topr	- 55 to + 150	$^{\circ}$

### **Electrical Characteristics** (T<sub>A</sub>=25°C unless otherwise noted)

Parameter	Symbol	Min.	Тур.	Max.	Unit
Zener Voltage at Iz = 1 mA	Vz	4.76	-	6.8	V
Reverse Current at $V_R = 2.5 \text{ V}$	lr	-	-	1	μΑ
Capacitance between Terminals at $V_R = 0 V$ , $f = 1 MHz$	Ст	-	50	-	pF


Version: 6.1 www.jgdsemi.com





# **ESD5V6WT**


## Silicon Epitaxial Planar Diode


### **Ratings and Characteristic Curves**














Version: 6.1 www.jgdsemi.com



### **ESD5V6WT**

### Silicon Epitaxial Planar Diode

#### **Ordering Information**

Part No.	Package	Packing Code	Packing
ESD5V6WT	SOD-523F	R30	3000pcs/Reel

### **Disclaimer**

Specifications of the products displayed herein are subject to change without notice. JGD or anyone on its behalf, assumes no responsibility or liability for any errors inaccuracies.

Information contained herein is intended to provide a product description only. No license, express or implied,to any intellectual property rights is granted by this document. Except as provided in JGD's terms and conditions of sale for such products, JGD assumes no liability whatsoever, and disclaims any express or implied warranty, relating to sale and/or use of JGD products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright, or other intellectual property right.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications. Customers using or seling these products for use in such applications do so at their own risk and agree to fully indemnify JGD for any damages resulting from such improper use or sale.

Version: 6.1 www.jgdsemi.com