

MDS-JA20ES

SERVICE MANUAL

Self Diagnostics
Supported model

US Model
Canadian Model
AEP Model
UK Model



Photo: GOLD Type

U.S. and foreign patents licensed form Dolby Laboratories Licensing Corporation.

Model Name Using Similar Mechanism	NEW
MD Mechanism Type	MDM-6A
Base Unit Name	MBU-5C
Optical Pick-up Name	KMS-260A/J1N

SPECIFICATIONS

System	MiniDisc digital audio system
Disc	MiniDisc
Laser	Semiconductor laser ($\lambda=780\text{nm}$) Emission duration: continuous
Laser output	Less than $44.6 \mu\text{W}^*$ * This output is the value measured at a distance of 200 mm from the objective lens surface on the Optical Pick-up Block with 7 mm aperture.
Laser diode properties	Material: GaAlAs
Revolutions (CLV)	400 rpm to 900 rpm
Error correction	Advanced Cross Interleave Reed Solomon Code (ACIRC)
Sampling frequency	44.1 kHz
Coding	Adaptive Transform Acoustic Coding (ATRAC)
Modulation system	EFM (Eight-to-Fourteen Modulation)
Number of channels	2 stereo channels
Frequency response	5 to 20,000 Hz ± 0.3 dB
Signal-to-noise ratio	Over 102 dB during playback
Wow and flutter	Below measurable limit

Inputs

	Jack type	Input impedance	Rated input	Minimum input
LINE (ANALOG) IN	Phono jacks	47 kilohms	500 mVrms	125 mVrms
DIGITAL IN OPT 1	Square optical connector jack	Optical wave length: 660 nm	—	—
DIGITAL IN OPT 2	Square optical connector jack	Optical wave length: 660 nm	—	—
DIGITAL IN COAXIAL	Phono jack	75 ohms	0.5 Vp-p, $\pm 20\%$	—

Outputs

	Jack type	Rated output	Load impedance
PHONES	Stereo phone jack	28 mW	32 ohms
LINE (ANALOG) OUT	Phono jacks	2 Vrms (at 50 kilohms)	Over 10 kilohms
DIGITAL OUT OPTICAL	Square optical connector jack	-18 dBm	Optical wave length: 660 nm
DIGITAL OUT COAXIAL	Phono jack	0.5 Vp-p (at 75 ohms)	75 ohms

— Continued on next page —

MINIDISC DECK



SONY®

General

Power requirements

Where purchased	Power requirements
AEP, UK	220 – 230 V AC, 50/60 Hz
US, Canadian	120 V AC, 60 Hz

Power consumption	18 W
Dimensions (approx.) (w/h/d) incl. projecting parts and controls	430 × 125 × 345 mm (17 × 5 × 13 ³ / ₄ in)
Mass (approx.)	7.8 kg (17 lb 3 oz)

Supplied accessories

Audio connecting cords (2)
Remote commander (remote) RM-D19M (1)
R6 (size-AA) batteries (2)

Design and specifications are subject to change without notice.

SELF-DIAGNOSIS FUNCTION

The self-diagnosis function consists of error codes for customers which are displayed automatically when errors occur, and error codes which show the error history in the test mode during servicing. For details on how to view error codes for the customer, refer to the following box in the instruction manual. For details on how to check error codes during servicing, refer to the following “Procedure for using the Self-Diagnosis Function (Error History Display Mode)”.

CD player section

System	Compact disc and digital audio system
Laser	Semiconductor laser (λ=780nm) Emission duration: continuous
Laser output	Max. 44.6 μW *This output is the value measured at a distance of 200 mm from the objective lens surface on the Optical Pick-up Block with 7 mm aperture. 2 Hz – 20 kHz (±0.5 dB)
Frequency response	780 – 790 nm
Wavelength	More than 90 dB
Signal-to-noise ratio	More than 90 dB
Dynamic range	More than 90 dB
CD OPTICAL DIGITAL OUT (Square optical connector jack, rear panel)	600 nm
Wavelength	–18 dBm
Output Level	

Tape player section

Recording system	4-track 2-channel stereo
Frequency response (DOLBY NR OFF)	40 – 13,000 Hz (±3 dB), using Sony TYPE I cassette
	40 – 14,000 Hz (±3 dB), using Sony TYPE II cassette

Tuner section

FM stereo, FM/AM superheterodyne tuner

FM tuner section

Tuning range	87.5 – 108.0 MHz
2 band models:	87.5 – 108.0 MHz
3 band (FM–MW–SW) models:	87.5 – 108.0 MHz
3 band (FM–MW–LW) models:	87.5 – 108.0 MHz
4 band models:	87.5 – 108.0 MHz
Antenna	FM lead antenna
Antenna terminals	75 ohm unbalanced
Intermediate frequency	10.7 MHz

UKV tuner section (4 band models only)

Tuning range	65.0 – 74.0 MHz
	Stereo Plus

AM tuner section

Tuning range	531 – 1,602 kHz
2 Band type:	(with the interval set at 9 kHz) 530 – 1,710 kHz (with the interval set at 10 kHz)
3 Band/4 Band type:	European and Russian models: MW: 531 – 1,602 kHz (with the interval set at 9 kHz) LW: 153 – 279 kHz (with the interval set at 3 kHz)
Middle Eastern models:	MW: 531 – 1,602 kHz (with the interval set at 9 kHz) SW: 5.95 – 17.90 MHz (with the interval set at 5 kHz)
Other models:	W: 531 – 1,602 kHz (with the interval set at 9 kHz) 530 – 1,710 kHz (with the interval set at 10 kHz) SW: 5.95 – 17.90 MHz (with the interval set at 5 kHz)
Antenna	AM loop antenna
Antenna terminals	External antenna terminal
Intermediate frequency	450 kHz

General

Power requirements	European and Russian models: 230 V AC, 50/60 Hz Thai models: 220 V AC, 50/60 Hz Other models: 120 V, 220 V or 230 – 240 V AC, 50/60 Hz
--------------------	--

Power consumption	European and Russian models: 300 watts 330 watts
Other models:	300 watts
Dimensions (w/h/d)	Approx. 280 × 335 × 380 mm (13 ¹ / ₂ × 11 ¹ / ₂ × 15 in.)

Mass	European and Russian models: Approx. 11.7 kg (25 lbs. 13 oz.) Other models: Approx. 12.0 kg (26 lbs. 7 oz.)
------	--

Supplied accessories:	AM loop antenna (1) Remote RM-D19M (1) Batteries (2) FM lead antenna (1) Speaker cords (2) Front speaker pads (8)
-----------------------	--

Design and specifications are subject to change without notice.

Procedure for using the Self-Diagnosis Function (Error History Display Mode).

Note: Perform the self-diagnosis function in the “error history display mode” in the test mode. The following describes the least required procedure. Be careful not to enter other modes by mistake. If you set other modes accidentally, press the **MENU/NO** button to exit the mode.

1. While pressing the **◀◀ AMS ▶▶** knob and **■** button, connect the power plug to the outlet, and release the **◀◀ AMS ▶▶** knob and **■** button.
2. Rotate the **◀◀ AMS ▶▶** knob and when “[Service]” is displayed, press the **YES** button.
3. Rotate the **◀◀ AMS ▶▶** knob and display “ERR DP MODE”.
4. Pressing the **YES** button sets the error history mode and displays “total rec”.
5. Select the contents to be displayed or executed using the **◀◀ AMS ▶▶** knob.
6. Pressing the **◀◀ AMS ▶▶** knob will display or execute the contents selected.
7. Pressing the **◀◀ AMS ▶▶** knob another time returns to step 4.
8. Pressing the **MENU/NO** button displays “ERR DP MODE” and exits the error history mode.
9. To exit the test mode, press the **REPEAT** button. The unit sets into the STANDBY state, the disc is ejected, and the test mode ends.

Items of Error History Mode Items and Contents
Selecting the Test Mode

Display	Details of History
total rec	Displays the recording time. Displayed as “r□□□□□h”. The displayed time is the total time the laser is set to the high power state. This is about 1/4 of the actual recording time. The time is displayed in decimal digits from 0h to 65535h.
total play	Displays the play time. Displayed as “p□□□□□h”. The time displayed is the total actual play time. Pauses are not counted. The time is displayed in decimal digits from 0h to 65535h.
retry err	Displays the total number of retries during recording and number of retry errors during play. Displayed as “r□□ p□□”. “r” indicates the retries during recording while “p” indicates the retry errors during play. The number of retries and retry errors are displayed in hexadecimal digits from 00 to FF.
total err	Displays the total number of errors. Displayed as “total □□”. The number of errors is displayed in hexadecimal digits from 00 to FF.
err history	Displays the 10 latest errors. Displayed as “0□ E@@”. □ indicates the history number. The smaller the number, the more recent is the error. (00 is the latest). @@ indicates the error code. Refer to the following table for the details. The error history can be switched by rotating the  knob.
er refresh	Mode which erases the “retry err”, “total err”, and “err history” histories. When returning the unit to the customer after completing repairs, perform this to erase the past error history. After pressing the  button and “er refresh?” is displayed, press the YES button to erase the history. “Complete!” will be displayed momentarily. Be sure to check the following when this mode has been executed. <ul style="list-style-type: none"> • The data has been erased. • The mechanism operates normally when recording and play are performed.
tm refresh	Mode which erases the “total rec” and “total play” histories. These histories serve as approximate indications of when to replace the optical pickup. If the optical pickup has been replaced, perform this operation and erase the history. After pressing the  button and “tm refresh?” is displayed, press the YES button to erase the history. “Complete!” will be displayed momentarily. Be sure to check the following when this mode has been executed. <ul style="list-style-type: none"> • The data has been erased. • The mechanism operates normally when recording and play are performed.

Table of Error Codes

Error Code	Details of Error	Error Code	Details of Error
E00	No error	E05	FOK has deviated
E01	Disc error. PTOC cannot be read (DISC ejected)	E06	Cannot focus (Servo has deviated)
		E07	Recording retry
E02	Disc error. UTOC error (DISC not ejected)	E08	Recording retry error
		E09	Playback retry error (Access error)
E03	Loading error		
E04	Address cannot be read (Servo has deviated)	E0A	Playback retry error (C2 error)

SECTION 1

SERVICING NOTES

TABLE OF CONTENTS

SELF-DIAGNOSIS FUNCTION		2
1. SERVICING NOTES		4
2. GENERAL		12
3. DISASSEMBLY		15
4. TEST MODE		21
5. ELECTRICAL ADJUSTMENTS		26
6. DIAGRAMS		
6-1. Block Diagram – MD SERVO Section –		35
6-2. Block Diagram – MAIN Section –		37
6-3. Note for Printed Wiring Boards and Schematic Diagrams		40
6-4. Printed Wiring Board – BD Section –		41
6-5. Schematic Diagram – BD Section (1/2) –		43
6-6. Schematic Diagram – BD Section (2/2)–		45
6-7. Printed Wiring Boards – BD SWITCH Section –		47
6-8. Schematic Diagram – BD SWITCH Section –		48
6-9. Printed Wiring Board – AUDIO Board (Component Side) –		49
6-10. Printed Wiring Boards – AUDIO Board (Conductor Side), RELEASE Board –		51
6-11. Schematic Diagram – AUDIO Section (1/2) –		53
6-12. Schematic Diagram – AUDIO Section (2/2) –		55
6-13. Printed Wiring Board – DIGITAL Section –		57
6-14. Schematic Diagram – DIGITAL Section –		59
6-15. Printed Wiring Boards – PANEL Section –		61
6-16. Schematic Diagram – PANEL Section –		63
6-17. Printed Wiring Board – POWER Board (Component Side) –		65
6-18. Printed Wiring Boards – POWER Board (Conductor Side), AC Board –		67
6-19. Schematic Diagram – POWER Section –		69
6-20. IC Pin Function Description		78
7. EXPLODED VIEWS		87
8. ELECTRICAL PARTS LIST		93

SAFETY CHECK-OUT


After correcting the original service problem, perform the following safety check before releasing the set to the customer: Check the antenna terminals, metal trim, “metallized” knobs, screws, and all other exposed metal parts for AC leakage. Check leakage as described below.

LEAKAGE TEST

The AC leakage from any exposed metal part to earth ground and from all exposed metal parts to any exposed metal part having a return to chassis, must not exceed 0.5 mA (500 microamperes.).


Leakage current can be measured by any one of three methods.

1. A commercial leakage tester, such as the Simpson 229 or RCA WT-540A. Follow the manufacturers’ instructions to use these instruments.
2. A battery-operated AC milliammeter. The Data Precision 245 digital multimeter is suitable for this job.
3. Measuring the voltage drop across a resistor by means of a VOM or battery-operated AC voltmeter. The “limit” indication is 0.75 V, so analog meters must have an accurate low-voltage scale. The Simpson 250 and Sanwa SH-63Trd are examples of a passive VOM that is suitable. Nearly all battery operated digital multimeters that have a 2V AC range are suitable. (See Fig. A)



MODEL IDENTIFICATION

— BACK PANEL —



- 4-998-731-1 □ : AEP and UK models
- 4-998-731-2 □ : US model
- 4-998-731-3 □ : Canadian model

CAUTION

Danger of explosion if battery is incorrectly replaced.
Replace only with the same or equivalent type recommended by the manufacturer.
Discard used batteries according to the manufacturer's instructions.

ADVARSEL!

Lithiumbatteri-Eksplosionsfare ved fejlagtig håndtering.
Udskiftning må kun ske med batteri
af samme fabrikat og type.
Levér det brugte batteri tilbage til leverandøren.

ADVARSEL

Eksplosjonsfare ved feilaktig skifte av batteri.
Benytt samme batteritype eller en tilsvarende type
anbefalt av apparatfabrikanten.
Brukte batterier kasseres i henhold til fabrikantens
instruksjoner.

WARNING

Explosionsfara vid felaktigt batteribyte.
Använd samma batterityp eller en likvärdig typ som
rekommenderas av apparattillverkaren.
Kassera använt batteri enligt gällande föreskrifter.

VAROITUS

Paristo voi räjähtää, jos se on virheellisesti asennettu.
Vaihda paristo ainoastaan laitevalmistajan suosittelemaan tyyppiin.
Hävitä käytetty paristo valmistajan ohjeiden mukaisesti.

SAFETY-RELATED COMPONENT WARNING!!

COMPONENTS IDENTIFIED BY MARK \triangle OR DOTTED LINE WITH MARK \triangle ON THE SCHEMATIC DIAGRAMS AND IN THE PARTS LIST ARE CRITICAL TO SAFE OPERATION. REPLACE THESE COMPONENTS WITH SONY PARTS WHOSE PART NUMBERS APPEAR AS SHOWN IN THIS MANUAL OR IN SUPPLEMENTS PUBLISHED BY SONY.

Laser component in this product is capable of emitting radiation exceeding the limit for Class 1.

CLASS 1 LASER PRODUCT
LUOKAN 1 LASERLAITE
KLASS 1 LASERAPPARAT

This appliance is classified as a CLASS 1 LASER product. The CLASS 1 LASER PRODUCT MARKING is located on the rear exterior.

CAUTION : INVISIBLE LASER RADIATION WHEN OPEN AND INTERLOCKS DEFEATED. AVOID EXPOSURE TO BEAM.
ADVARSEL : USYNLIG LASERSTRÅLING VED ÅBNING NÅR SIKKERHEDSafbrydere ER UDE AF FUNKTION. UNDGÅ UDSÆTTELSE FOR STRÅLING.
VORSTICHT : UNSICHTBARE LASERSTRAHLUNG, WENN ABDECKUNG GEÖFFNET UND SICHERHEITVERRIEGELUNG ÜBERBRÜCKT. NICHT DEM STRAHL AUSSETZEN.
VARO! : AVATTAESSA JA SUOJALUKITUS OHITETTAESSA OLET ALT-TIINA NÄKYMÄTTÖMÄLLE LASERSAATEILYLLE. ÄLÄ KATSO SÄTEESEEN.
WARNING : OSYNLIG LASERSTRÅLING NÅR DENNA DEL ÅR ÖPPNAD OCH SPÄRREN ÅR URKOPPLAD. BETRAKTA EJ STRÅLEN.
ADVERSEL : USYNLIG LASERSTRÅLING NÅR DEKSEL ÅPNES OG SIKKERHEDSLÅS BRYTES. UNNGÅ EKSPONERING FOR STRÅLEN.
VIGYAZAT! : A BURKOLAT NYITÁSAKOR LÁTHATATLAN LÉZERSUGÁRVESZÉLY! KERÜLJE A BESUGÁRZÁST!

This caution label is located inside the unit.

CAUTION

Use of controls or adjustments or performance of procedures other than those specified herein may result in hazardous radiation exposure.

Flexible Circuit Board Repairing

- Keep the temperature of the soldering iron around 270 °C during repairing.
- Do not touch the soldering iron on the same conductor of the circuit board (within 3 times).
- Be careful not to apply force on the conductor when soldering or unsoldering.

Notes on chip component replacement


- Never reuse a disconnected chip component.
- Notice that the minus side of a tantalum capacitor may be damaged by heat.

ATTENTION AU COMPOSANT AYANT RAPPORT À LA SÉCURITÉ!

LES COMPOSANTS IDENTIFIÉS PAR UNE MARQUE \triangle SUR LES DIAGRAMMES SCHÉMATIQUES ET LA LISTE DES PIÈCES SONT CRITIQUES POUR LA SÉCURITÉ DE FONCTIONNEMENT. NE REMPLACEZ CES COMPOSANTS QUE PAR DES PIÈCES SONY DONT LES NUMÉROS SONT DONNÉS DANS CE MANUEL OU DANS LES SUPPLÉMENTS PUBLIÉS PAR SONY.

HOW TO OPEN THE DISC TRAY WHEN POWER SWITCH TURNS OFF

- ① Remove the fourteen screws (3 × 8) from the bottom plate (refer to page 87).
- ② Remove the bottom plate.
- ③ Rotate the pulley gear in the arrow direction **(A)**, and open the tray assembly in the arrow direction **(B)**.



Forced Reset


The system microprocessor can be reset in the following procedure.

Use these procedure when the unit cannot be operated normally due to the overrunning of the microprocessor, etc.

Procedure :

Disconnect the power plug from the socket, and short-circuit the pin ① and pin ③ of CN703 on the BT board with tweezers, etc. to discharge the backup battery.



[BT Board] (Conductor Side)



JIG FOR CHECKING BD BOARD WAVEFORM

The special jig (J-2501-149-A) is useful for checking the waveform of the BD board. The names of terminals and the checking items to be performed are shown as follows.

- GND : Ground
- I + 3 V : For measuring IOP (Check the deterioration of the optical pick-up laser)
- IOP : For measuring IOP (Check the deterioration of the optical pick-up laser)
- TE : TRK error signal (Traverse adjustment)
- VC : Reference level for checking the signal
- RF : RF signal (Check jitter)



IOP Data Recording and Display When Pickup and Non-volatile Memory (IC171 of BD board) are Replaced

The IOP value labeled on the pick-up can be recorded in the non-volatile memory. By recording the value, it will eliminate the need to look at the value on the label of the optical pick-up. When replacing the pick-up or non-volatile memory (IC171 of BD board), record the IOP value on the pick-up according to the following procedure.

Record Procedure:

1. While pressing the **◀◀ AMS ▶▶** knob and **■** button, connect the power plug to the outlet, and release the **◀◀ AMS ▶▶** knob and **■** button.
2. Rotate the **◀◀ AMS ▶▶** knob to display “[Service]”, and press the **YES** button.
3. Rotate the **◀◀ AMS ▶▶** knob to display “Iop.Write” (C28), and press the **YES** button.
4. The display becomes “Ref=@@.@” (@ is an arbitrary number) and the numbers which can be changed will blink.
5. Input the IOP value written on the optical pick-up.
To select the number : Rotate the **◀◀ AMS ▶▶** knob.
To select the digit : Press the **◀◀ AMS ▶▶** knob.
6. When the **YES** button is pressed, the display becomes “Measu=@@.@” (@ is an arbitrary number).
7. As the adjustment results are recorded for the 6 value. Leave it as it is and press the **YES** button.
8. “Complete!” will be displayed momentarily. The value will be recorded in the non-volatile memory and the display will become “Top Write”.
9. Press the **REPEAT** button to complete. “Standby” will be displayed.

Display Procedure:

1. While pressing the **◀◀ AMS ▶▶** knob and **■** button, connect the power plug to the outlet, and release the **◀◀ AMS ▶▶** knob and **■** button.
2. Rotate the **◀◀ AMS ▶▶** knob to display “[Service]”, and press the **YES** button.
3. Rotate the **◀◀ AMS ▶▶** knob to display “Iop.Read” (C27).
4. “@@.@/##.#” is displayed and the recorded contents are displayed.
@@.@ : indicates the Iop value labeled on the pick-up.
##.# : indicates the Iop value after adjustment
5. To end, press the **◀◀ AMS ▶▶** button or **MENU/NO** button to display “Top Read”. Then press the **REPEAT** button to display “Standby”.

Checks Prior to Parts Replacement and Adjustments

Before performing repairs, perform the following checks to determine the faulty locations up to a certain extent. Details of the procedures are described in “5 Electrical Adjustments”.

	Criteria for Determination (Unsatisfactory if specified value is not satisfied)	Measure if unsatisfactory:
Laser power check (5-6-2 : See page 28)	<ul style="list-style-type: none"> 0.9 mW power Specified value : 0.84 to 0.92 mW 7.0 mW power Specified value : 6.8 to 7.2 mW 	<ul style="list-style-type: none"> Clean the optical pick-up Adjust again Replace the optical pick-up
	<ul style="list-style-type: none"> lop (at 7mW) Labeled on the optical pickup Iop value \pm 10mA 	<ul style="list-style-type: none"> Replace the optical pick-up
Traverse check (5-6-3 : See page 28)	<ul style="list-style-type: none"> Traverse waveform Specified value : Below 10% offset 	<ul style="list-style-type: none"> Replace the optical pick-up
Focus bias check (5-6-4 : See page 29)	<ul style="list-style-type: none"> Error rate check Specified value : For points a, b, and c C1 error : Below 220 AD error : Below 2 	<ul style="list-style-type: none"> Replace the optical pick-up
C PLAY check (5-6-5 : See page 29)	<ul style="list-style-type: none"> Error rate check Specified value: <ol style="list-style-type: none"> When using test disc (MD W-74/AU-1) C1 error : Below 80 AD error : Below 2 When using check disc (TDYS-1) C1 error : Below 50 	<ul style="list-style-type: none"> Replace the optical pick-up
Self-recording/playback check (REC/PLAY) (5-6-6 : See page 29)	<ul style="list-style-type: none"> CPLAY error rate check Specified value: C1 error : Below 80 AD error : Below 2 	If always unsatisfactory: <ul style="list-style-type: none"> Replace the overwrite head Check for disconnection of the circuits around the overwrite head
		If occasionally unsatisfactory: <ul style="list-style-type: none"> Check if the overwrite head is distorted Check the mechanism around the sled
TEMP check (Temperature compensation offset check) (5-6-1 : See page 28)	<ul style="list-style-type: none"> Unsatisfactory if displayed as T=@@ (##) [NG” NG (@@, ## are both arbitrary numbers) 	<ul style="list-style-type: none"> Check for disconnection of the circuits around D101 (BD board) Check the signals around IC101, IC121, CN102, CN103 (BD board)

Note:

The criteria for determination above is intended merely to determine if satisfactory or not, and does not serve as the specified value for adjustments. When performing adjustments, use the specified values for adjustments.

Retry Cause Display Mode

- In this test mode, the causes for retry of the unit during recording can be displayed on the fluorescent indicator tube. During playback, the “track mode” for obtaining track information will be set. This is useful for locating the faulty part of the unit.
- The following will be displayed :
 - During recording and stop : Retry cause, number of retries, and number of retry errors.
 - During playback : Information such as type of disc played, part played, copyright.
 These are displayed in hexadecimal.

Precedure:

- Load a recordable disc whose contents can be erased into the unit.
- Press the **MENU/NO** button. When “Edit/Menu” is displayed on the fluorescent display tube, rotate the **AMS** knob to display “All Erase?”.
- Press the **YES** button. (Or press the **AMS** knob)
- When “All Erase??” is displayed on the fluorescent display tube, the music calendar number blinks.
- Press the **YES** button to display “Complete!!”, and press the **STOP** button immediately. Wait for about 15 seconds while pressing the button. (The **AMS** knob can be pressed instead of the **YES** button for the same results.)
- When the “TOC” displayed on the fluorescent display tube goes off, release the **STOP** button.
- Press the **REC** button to start recording. Then press the **PLAY** button and start recording.
- To check the “track mode”, press the **TRACK** button to start play.
- To exit the test mode, press the **POWER** button, and turn OFF the power. When “TOC” disappears, disconnect the power plug from the outlet. If the test mode cannot be exited, refer to “Forced Reset” on page 6.

Fig. 1 Reading the Test Mode Display (During recording and stop)

RTs@@c##e**
Fluorescent display tube display

@@ : Cause of retry
: Number of retries
** : Number of retry errors

Fig. 2 Reading the Test Mode Display (During playback)

@@#####\$\$
Fluorescent display tube display

@@ : Parts No. (name of area named on TOC)
: Cluster
** : Sector
\$\$: Track mode (Track information such as copyright information of each part)

Reading the Retry Cause Display

Hexadecimal	Higher Bits				Lower Bits				Hexa-decimal	Cause of Retry	Occurring conditions
	8	4	2	1	8	4	2	1			
Bit	b7	b6	b5	b4	b3	b2	b1	b0			
Binary	0	0	0	00001					01	shock	When track jump (shock) is detected
	0	0	0	00010					02	ader5	When ADER was counted more than five times continuously
	0	0	0	00100					04	Discontinuous address	When ADIP address is not continuous
	0	0	0	01000					08	DIN unlock	When DIN unlock is detected
	0	0	0	10000					10	FCS incorrect	When not in focus
	0	0	1	00000					20	IVR rec error	When ABCD signal level exceeds the specified range
	0	1	0	00000					40	CLV unlock	When CLV is unlocked
	1	0	0	0 0 0 0	0	0	0		80	Access fault	When access operation is not performed normally

Reading the Display:

Convert the hexadecimal display into binary display . If more than two causes, they will be added.

Example

When 42 is displayed:

Higher bit : 4 = 0100 → b6

Lower bit : 2 = 0010 → b1

In this case, the retry cause is combined of “CLV unlock” and “ader5”.

When A2 is displayed:

Higher bit : A = 1010 → b7+b5

Lower bit : 2 = 0010 → b2

The retry cause in this case is combined of “access fault”, “IVR rec error”, and “ader5”.

Reading the Retry Cause Display

Hexadecimal	Higher Bits				Lower Bits				Hexa- decimal	Details	
	8	4	2	1	8	4	2	1		When 0	When 1
Bit	b7	b6	b5	b4	b3	b2	b1	b0			
Binary	0	0	0	0	0	0	0	1	01	Emphasis OFF	Emphasis ON
	0	0	0	0	0	0	1	0	02	Monaural	Stereo
	0	0	0	0	0	1	0	0	04	This is 2-bit display. Normally 01. 01:Normal audio. Others:Invalid	
	0	0	0	0	1	0	0	0	08		
	0	0	0	1	0	0	0	0	10	Audio (Normal)	Invalid
	0	0	1	0	0	0	0	0	20	Original	Digital copy
	0	1	0	0	0	0	0	0	40	Copyright	No copyright
	1	0	0	0	0	0	0	0	80	Write prohibited	Write allowed

Reading the Display:

Convert the hexadecimal display into binary display. If more than two causes, they will be added.

Example When 84 is displayed:

Higher bit: 8 = 1000 → b7

Lower bit : 4 = 0100 → b2

In this case, as b2 and b7 are 1 and others are 0, it can be determined that the retry cause is combined of “emphasis OFF”, “monaural”, “original”, “copyright exists”, and “write allowed”.

Example When 07 is displayed:

Higher bit: 0 = 1000 → All 0

Lower bit : 7 = 0111 → b0+b1+b2

In this case, as b0, b1, and b2 are 1 and others are 0, it can be determined that the retry cause is combined of “emphasis ON”, “stereo”, “original”, “copyright exists”, and “write prohibited”.



Hexadecimal → Binary Conversion Table

Hexadecimal	Binary	Hexadecimal	Binary
0	0000	8	1000
1	0001	9	1001
2	0010	A	1010
3	0011	B	1011
4	0100	C	1100
5	0101	D	1101
6	0110	E	1110
7	0111	F	1111

SECTION 2 GENERAL

LOCATION OF CONTROLS


– Front Panel –



- 1 STANDBY indicator
- 2 I/⏻ (Power) button
- 3 FILTER button and indicator
- 4 DISPLAY/CHAR button
- 5 Fluorescent indicator tube
- 6 CLEAR button
- 7 ◀◀ AMS ▶▶ knob
- 8 REC LEVEL knob (DIGITAL)
- 9 REC LEVEL knob (ANALOG)
- 10 PHONES jack
- 11 PLAY MODE button
- 12 TIME button
- 13 Disc tray
- 14 ⏏ OPEN/CLOSE button
- 15 ◀◀/▶▶ button

- 16 Remote sensor
- 17 TIMER switch
- 18 MEGA CONTROL button and indicator
- 19 SCROLL/CLOCK SET button
- 20 MENU/NO button
- 21 YES button
- 22 PHONE LEVEL knob
- 23 INPUT select knob
- 24 FADER button
- 25 REPEAT button
- 26 ▶ button and indicator
- 27 || button and indicator
- 28 ■ button
- 29 ● REC button and indicator

– Rear Panel –




- 1 LINE IN jack (ANALOG)
- 2 LINE OUT jack (ANALOG)
- 3 DIGITAL IN (COAXIAL/OPT1/OPT2) jack and connector
- 4 DIGITAL OUT (COAXIAL/OPTICAL) jack and connector
- 5 S-LINK CONTROL A1 jack
- 6 Power cord

Hooking Up the System

Overview

This section describes how to hook up the MD deck to an amplifier or other components such as a CD player or DAT deck. Be sure to turn off the power of each component before connection.



➡: Signal flow


What cords will I need?

- Audio connecting cords (supplied) (2)
 - White (L)
 - Red (R)
- Optical cables (not supplied) (3)
- Coaxial digital connecting cables (not supplied) (2)

Hookups

Connecting the deck to an amplifier

Connect the amplifier to the LINE(ANALOG) IN/OUT jacks using the audio connecting cords (supplied), making sure to match the color-coded cords to the appropriate jacks on the components: red (right) to red and white (left) to white. Be sure to make connections firmly to prevent hum and noise.




➡: Signal flow

Connecting the deck to a digital component such as a CD player, DAT deck, digital amplifier, or another MD deck

Connect the component through the DIGITAL IN/OUT connectors with two (or three) optical cables (not supplied) and/or two coaxial digital connecting cables (not supplied).

When using the optical cables


Take the caps off the connectors and then insert the plugs parallelly until they click into place. Be sure not to bend or tie together the optical cables.



You can connect the optical cable to either OPT1 or OPT2

➡: Signal flow

When using the coaxial digital connecting cable



➡: Signal flow

If "Din Unlock" and "C71" appear in the display

Make sure the optical cable or the coaxial digital connecting cable is connected properly.

Automatic conversion of digital sampling rates during recording

A built-in sampling rate converter automatically converts the sampling frequency of various digital sources to the 44.1 kHz sampling rate of your MD deck. This allows you to record sources such as 32- and 48-kHz DAT or satellite broadcasts, as well as compact discs and other MDs.

Note

If "Din Unlock" alternates with "C71" or "Cannot Copy" appears in the display, recording through the digital connector is not possible. In this case, record the program source through the LINE(ANALOG) IN jacks with the INPUT set at ANALOG.

Connecting the AC power cord

Connect the AC power cord to a wall outlet or to the outlet of a timer.

About the CONTROL A1 Control System

This MD deck is compatible with the CONTROL A1 Control System.

The CONTROL A1 Control System was designed to simplify the operation of audio systems composed of separate Sony components. CONTROL A1 connections provide a path for the transmission of control signals which enable automatic operation and control features usually associated with integrated systems.

Currently, CONTROL A1 connections between a Sony MD deck, CD player, amplifier (receiver), and cassette deck provide automatic function selection and synchronized recording.

Note

The CONTROL A1 Control System is designed to maintain upward compatibility as the Control System is upgraded to handle new functions. In this case, however, older components will not be compatible with the new functions.

Compatibility with the former CONTROL A System
Although the CDP-CX153 is equipped with a CONTROL A terminal, it can be connected to CONTROL A1 components using a special connecting cable*.

The CDP-CX151, however, cannot be connected to CONTROL A1.


* Use the Sony RK-G139HC (1 meter [39 3/8 in]) monoaural mini-plug ↔ stereo mini-plug connecting cable or a similar cable (less than 2 meters [78 3/4 in] long with no resistance).



Be sure to connect the STEREO mini-plug to the CONTROL A component and the MONO mini-plug to the CONTROL A1 component.

Connecting the CONTROL A1 Control System


- Connect the CONTROL A1 cables in series to the CONTROL A1 jacks on the back of each component. Be sure to connect a CONTROL A1 compatible amplifier (receiver) to take advantage of the automatic function selection feature.



- The components can be connected in any order.
- You can connect up to ten CONTROL A1 compatible components.
- The CONTROL A1 functions will work when the component you want to operate is turned on, even if all of the connected components are not turned on.
- As a rule, the CONTROL A1 remote control system should not incorporate more than one of each type of component (i.e., 1 MD deck, 1 CD player, 1 tape deck and 1 receiver). You may, however, be able to connect more than one of certain CD players. Refer to the operating instructions supplied with the respective component for details.

About the CONTROL A1 cable

- Use a commercially available 2P (mono) mini-plug cable less than 2 meters (78 3/4 in) long, with a maximum outer diameter no greater than 11 mm (7/8 in), and no resistance. Some CONTROL A1 compatible components are supplied with a CONTROL A1 cable as an accessory.
- If a component has more than one CONTROL A1 jack, you can use either one, or connect a different component to each jack.



"S-LINK" is a general name for Sony's Bus System, and includes the CONTROL A1 Control System.

Basic Functions of the CONTROL A1 Control System

Automatic function selection

When you connect CONTROL A1 compatible Sony components using CONTROL A1 cables, the function selector on the amplifier (or receiver) automatically switches to the correct input when you press the play button on one of the connected components. (If you press **▶** (play button) on the MD deck while the CD is playing, the function selector on the amplifier switches from CD to MD.)

Notes

- This function only works when the components are connected to the amplifier (or receiver) inputs according to the names on the function buttons. Certain receivers allow you to switch the names of the function buttons. In this case, refer to the operating instructions supplied with the receiver.
- When recording, do not play any components other than the recording source. It will cause the automatic function selection to operate.

Synchronized recording

This function lets you conduct synchronized recording between the MD deck and selected source component.

- Set the source selector on the amplifier (or receiver) to the source component.
- Set the source component to pause mode (make sure both the **▶** and **||** indicators light together).
- Set the deck to recording pause mode.

4 Press **||** on the deck.


The source component is released from the pause mode, and recording begins shortly thereafter. When playback ends from the source component, recording stops.

Notes

- Do not set more than one component to the pause mode.
- This MD deck is equipped with a special synchronized recording function that uses the CONTROL A1 Control System (see "Making a synchro recording from a CD player connected with a control A1 cable" on page 20). You can also make a synchro recording using the Mega CD Control Function via the CONTROL A1 Control System (see "Controlling a CD Changer from the MD Deck to Make a Synchro Recording" on page 39).


Setting the Clock

Once you set the MD deck's internal clock, the MD deck will automatically record the date and time of all recordings. When playing a track, you can display the date and time the track was recorded (see page 25). Time on this deck is displayed on a 12-hour clock (USA and Canadian models only) or a 24-hour clock (European model only).




- With the deck in standby status (the STANDBY indicator lights red), press SCROLL/CLOCK SET down for about 2 seconds until the month (or day) indication in the display starts flashing.

USA and Canadian models




European model




- Turn AMS to enter the current month (or day), then press AMS.

The month (or day) indication stops flashing, and the day (or month) indication starts flashing.

USA and Canadian models



European model



(Continued)

- Repeat Step 2 to enter the month, day, year, hour, and minute.

USA and Canadian models



European model



- For precise time and date stamping of recordings. Reset the time at least once a week.

Note


If the AC power cord is disconnected for a long time, the memorized clock settings will disappear and "Standby" will flash in the display the next time you plug in and turn on the deck. If this happens, reset the clock.

Displaying the current date and time

You can display the current date and time any time even when the deck is in standby status.

Press DATE PRESENT.

Each press of the button changes the display as follows:



- You can display the current date and time with an on-deck button.

Press the SCROLL/CLOCK SET button. Each press of the button changes the display in the same order as the DATE PRESENT button on the remote does.


Changing the date and/or time

- With the deck in standby status (the STANDBY indicator lights red), press SCROLL/CLOCK SET down for about 2 seconds until the month (or day) indication in the display starts flashing.
- Press SCROLL/CLOCK SET or AMS repeatedly until the item you want to change flashes.
- Turn AMS to change the contents of the selected item.
- To complete the setting, press AMS repeatedly until all items stop flashing.


SECTION 3 DISASSEMBLY

Note: Follow the disassembly procedure in the numerical order given.


CASE




FRONT PANEL SECTION




MD MECHANISM SECTION




AU BOARD




TRAY ASS'Y




• NOTE FOR INSTALLATION




BU HODER ASS'Y




LOADING MOTOR ASS'Y




BASE UNIT




BD BOARD



OVER WRITE HEAD



OPTICAL PICK-UP



SECTION 4 TEST MODE

4-1. PRECAUTIONS FOR USE OF TEST MODE

- As loading related operations will be performed regardless of the test mode operations being performed, be sure to check that the disc is stopped before setting and removing it.
Even if the  button is pressed while the disc is rotating during continuous playback, continuous recording, etc., the disc will not stop rotating.
Therefore, it will be ejected while rotating.
Be sure to press the  button after pressing the **MENU/NO** button and the rotation of disc is stopped.

4-1-1. Recording laser emission mode and operating buttons

- Continuous recording mode (CREC MODE)
- Laser power check mode (LDPWR CHECK)
- Laser power adjustment mode (LDPWR ADJUST)
- Traverse (MO) check (EF MO CHECK)
- Traverse (MO) adjustment (EF MO ADJUST)
- When pressing the  **REC** button.

4-2. SETTING THE TEST MODE

The following are two methods of entering the test mode.

Procedure 1: While pressing the  knob and  button, connect the power plug to an outlet, and release the  knob and  button.

When the test mode is set, “[Check]” will be displayed. Rotating the  knob switches between the following four groups; ... ↔ Check ↔ Adjust ↔ Service ↔ Develop ↔ ...

Procedure 2: While pressing the  knob, connect the power plug to the outlet and release the  knob.
When the test mode is set, “TEMP CHECK” will be displayed. By setting the test mode using this method, only the “Check” group of method 1 can be executed.

Note: The tray is drawn out for a disc setting immediately when the test mode becomes active. Set a disc and push the tray by hand, so that the disc is loaded automatically.

4-3. EXITING THE TEST MODE

Press the **REPEAT** button. The disc is ejected when loaded, and “Standby” display blinks, and the STANDBY state is set.

4-4. BASIC OPERATIONS OF THE TEST MODE

All operations are performed using the  knob, **YES** button, and **MENU/NO** button.
The functions of these buttons are as follows.

Function name	Function
 knob	Changes parameters and modes
YES button	Proceeds onto the next step. Finalizes input.
MENU/NO button	Returns to previous step. Stops operations.

4-5. SELECTING THE TESTMODE

There are 23 types of test modes as shown below. The groups can be switched by rotating the **[◀◀ AMS ▶▶]** knob. After selecting the group to be used, press the **[YES]** button. After setting a certain group, rotating the **[◀◀ AMS ▶▶]** knob switches between these modes. Refer to “Group” in the table for details selected.

All items used for servicing can be treated using group S. So be carefully not to enter other groups by mistake.

Display	No.	Contents	Mark	Group (*)
TEMP CHECK	C01	Temperature compensation offset check		C S
LDPWR CHECK	C02	Laser power check		C S
EF MO CHECK	C03	Traverse (MO) check		C S
EF CD CHECK	C04	Traverse (CD) check		C S
FBIAS CHECK	C05	Focus bias check		C S
S curve CHECK	C06	S letter check	(X)	C
VERIFY MODE	C07	Non-volatile memory check	(X)	C
DETRK CHECK	C08	Detrack check	(X)	C
TEMP ADJUS	C09	Temperature compensation offset adjustment		A S
LDPWR ADJUS	C10	Laser power adjustment		A S
EF MO ADJUS	C11	Traverse (MO) adjustment		A S
EF CD ADJUS	C12	Traverse (CD) adjustment		A S
FBIAS ADJUS	C13	Focus bias adjustment		A S
EEP MODE	C14	Non-volatile memory control	(X) (!)	D
ERR DP MODE	C17	Error history display, clear		S
ADJ CLEAR	C24	Initialization of non-volatile memory of adjustment value		A S
AG Set (MO)	C25	Auto gain output level adjustment (MO)		A S
AG Set (CD)	C26	Auto gain output level adjustment (CD)		A S
Iop Read	C27	IOP data display		C S
Iop Write	C28	IOP data write		A S
JA20 980327	C29	Microprocessing version display		C S
CPLAY MODE	C30	Continuous play mode		C A S D
CREC MODE	C31	Continuous recording mode		C A S D

Group (*)
 C: Check A: Adjust
 S: Service D: Develop

- For details of each adjustment mode, refer to “5. Electrical Adjustments”.
- For details of “ERR DP MODE”, refer to “Self-Diagnosis Function” on page 2.
- If a different mode has been selected by mistake, press the **[MENU/NO]** button to exit that mode.
- Modes with (X) in the Mark column are not used for servicing and therefore are not described in detail. If these modes are set accidentally, press the **[MENU/NO]** button to exit the mode immediately. Be especially careful not to set the modes with (!) as they will overwrite the non-volatile memory and reset it, and as a result, the unit will not operate normally.

4-5-1. Operating the Continuous Playback Mode

- Entering the continuous playback mode
 - Set the disc in the unit. (Whichever recordable discs or discs for playback only are available.)
A disc is loaded automatically, if pushing the tray.
 - Rotate the [◀◀ AMS ▶▶] knob and display “CPLAY MODE” (C30).
 - Press the [YES] button to change the display to “CPLAY MID”.
 - When access completes, the display changes to “C = [] AD = []”.
Note: The numbers “[]” displayed show you error rates and ADER.
- Changing the parts to be played back
 - Press the [YES] button during continuous playback to change the display as below.



When pressed another time, the parts to be played back can be moved.

- When access completes, the display changes to “C = [] AD = []”.
Note: The numbers “[]” displayed show you error rates and ADER.
- Ending the continuous playback mode
 - Press the [MENU/NO] button. The display will change to “CPLAY MODE”.
 - Press the [⏏] button to remove the disc.
Note: The playback start addresses for IN, MID, and OUT are as follows.
IN 40h cluster
MID 300h cluster
OUT 700h cluster

4-5-2. Operating the Continuous Recording Mode (Use only when performing self-recording/palyback check.)

- Entering the continuous recording mode
 - Set a recordable disc in the unit.
A disc is loaded automatically, if pushing the tray.
 - Rotate the [◀◀ AMS ▶▶] knob and display “CREC MODE” (C31).
 - Press the [YES] button to change the display to “CREC MID”.
 - When access completes, the display changes to “CREC ([])” and [REC] lights up.
Note: The numbers “[]” displayed shows you the recording position addresses.
- Changing the parts to be recorded
 - When the [YES] button is pressed during continuous recording, the display changes as below.



When pressed another time, the parts to be recorded can be changed. [REC] goes off.

- When access completes, the display changes to “CREC ([])” and [REC] lights up.
Note: The numbers “[]” displayed shows you the recording position addresses.
- Ending the continuous recording mode
 - Press the [MENU/NO] button. The display changes to “CREC MODE” and [REC] goes off.
 - Press the [⏏] button to remove the disc.
Note 1: The recording start addresses for IN, MID, and OUT are as follows.
IN 40h cluster
MID 300h cluster
OUT 700h cluster
Note 2: The [MENU/NO] button can be used to stop recording anytime.
Note 3: Do not perform continuous recording for long periods of time above 5 minutes.
Note 4: During continuous recording, be careful not to apply vibration.

4-5-3. Non-Volatile Memory Mode (EEP MODE)

This mode reads and writes the contents of the non-volatile memory.

It is not used in servicing. If set accidentally, press the [MENU/NO] button immediately to exit it.

4-6. FUNCTIONS OF OTHER BUTTONS

Function	Contents
▶	Sets continuous playback when pressed in the STOP state. When pressed during continuous playback, the tracking servo turns ON/OFF.
■	Stops continuous playback and continuous recording.
▶▶	The sled moves to the outer circumference only when this is pressed.
◀◀	The sled moves to the inner circumference only when this is pressed.
SCROLL/CLOCK SET	Switches between the pit and groove modes when pressed.
PLAY MODE	Switches the spindle servo mode (CLVS ↔ CLV A).
DISPLAY/CHAR	Switches the displayed contents each time the button is pressed
≡ OPEN/CLOSE	Ejects the disc
REPEAT	Exits the test mode

4-7. TEST MODE DISPLAYS

Each time the [DISPLAY/CHAR] button is pressed, the display changes in the following order.

1. Mode display

Displays "TEMP ADJUST", "CPLAY MODE", etc.

2. Error rate display

Displays the error rate in the following way.

C = □□□□ AD = □□□□

C = Indicates the C1 error.

AD = Indicates ADER.

3. Address display

The address is displayed as follows. (MO: recordable disc, CD: playback only disc)

Pressing the [SCROLL/CLOCK SET] button switches between the group display and bit display.

h = □□□□ s = □□□□ (MO pit and CD)

h = □□□□ a = □□□□ (MO groove)

h = Indicates the header address.

s = Indicates the SUBQ address.

a = Indicates the ADIP address.

Note: "-" is displayed when servo is not imposed.

4. Auto gain display (Not used in servicing)

The auto gain is displayed as follows.

AG = □□/□□□□[□□]

5. Detrack check display (Not used in servicing)


The detrack is displayed as follows.

ADR = □□□□□□□

6. IVR display (Not used in servicing)

The IVR is displayed as follows.

[□□][□□][□□]



MEANINGS OF OTHER DISPLAYS


Display	Contents	
	When Lit	When Off
▷	During continuous playback (CLV: ON)	STOP (CLV: OFF)
	Tracking servo OFF	Tracking servo ON
REC	Recording mode ON	Recording mode OFF
-SYNC	CLV low speed mode	CLV normal mode
A.SPACE	ABCD adjustment completed	
OVER	Tracking offset cancel ON	Tracking offset cancel OFF
B	Tracking auto gain OK	
A-	Focus auto gain OK	
TRACK	Pit	Groove
DISC	High reflection	Low reflection
DATE	CLV-S	CLV-A
CLOCK	CLV LOCK	CLV UNLOCK

SECTION 5 ELECTRICAL ADJUSTMENTS

5-1. PARTS REPLACEMENT AND ADJUSTMENT

- Check and adjust the MDM and MBU as follows.
The procedure changes according to the part replaced

- Abbreviation
OP : Optical pick-up
OWH : Overwrite head




5-2. PRECAUTIONS FOR CHECKING LASER DIODE EMISSION

To check the emission of the laser diode during adjustments, never view directly from the top as this may lose your eye-sight.

5-3. PRECAUTIONS FOR USE OF OPTICAL PICK-UP (KMS-260A)

As the laser diode in the optical pick-up is easily damaged by static electricity, solder the laser tap of the flexible board when using it. Before disconnecting the connector, desolder first. Before connecting the connector, be careful not to remove the solder. Also take adequate measures to prevent damage by static electricity. Handle the flexible board with care as it breaks easily.



Optical pick-up flexible board

5-4. PRECAUTIONS FOR ADJUSTMENTS

- When replacing the following parts, perform the adjustments and checks with ○ in the order shown in the following table.

	Optical Pick-up	BD Board			
		IC171	D101	IC101, IC121	IC192
1. Initial setting of adjustment value	○	○	×	○	×
2. Recording of IOP information (Value written in the pick-up)	○	○	×	×	×
3. Temperature compensation offset adjustment	×	○	○	×	×
4. Laser power adjustment	○	○	×	○	○
5. Traverse adjustment	○○	○×			×
6. Focus bias adjustment	○○	○×			×
7. Error rate check	○○	○×			×
8. Auto gain output level adjustment	○○	○×			×

- Set the test mode when performing adjustments. After completing the adjustments, exit the test mode. Perform the adjustments and checks in "group S" of the test mode.
- Perform the adjustments to be needed in the order shown.

- Use the following tools and measuring devices.
 - Check Disc (MD) TDYS-1 (Parts No. 4-963-646-01)
 - TEST DISK (MD W-74/AU-1) (Parts No. 8-892-341-41)
 - Laser power meter LPM-8001 (Parts No. J-2501-046-A) or MD Laser power meter 8010S (Parts No. J-2501-145-A)
 - Oscilloscope (Measure after performing CAL of prove.)
 - Digital voltmeter
 - Thermometer
 - Jig for checking BD board waveform (Parts No. : J-2501-149-A)
- When observing several signals on the oscilloscope, etc., make sure that VC and ground do not connect inside the oscilloscope. (VC and ground will become short-circuited.)
- Using the above jig enables the waveform to be checked without the need to solder. (Refer to Servicing Notes on page 7.)
- As the disc used will affect the adjustment results, make sure that no dusts nor fingerprints are attached to it.

Laser power meter

When performing laser power checks and adjustment (electrical adjustment), use of the new MD laser power meter 8010S (J-2501-145-A) instead of the conventional laser power meter is convenient.

It sharply reduces the time and trouble to set the laser power meter sensor onto the objective lens of the pick-up.

5-5. CREATING CONTINUOUSLY RECORDED DISC

* This disc is used in focus bias adjustment and error rate check. The following describes how to create a continuous recording disc.

- Insert a disc (blank disc) commercially available. A disc is loaded automatically, if pushing the tray.
- Rotate the [◀◀ AMS ▶▶] knob and display "CREC MODE". (C31)
- Press the [YES] button again to display "CREC MID". Display "CREC (0300)" and start to recording.
- Complete recording within 5 minutes.
- Press the [MENU/NO] button and stop recording.
- Press the [⏏] button and remove the disc.


The above has been how to create a continuous recorded data for the focus bias adjustment and error rate check.

Note :

- Be careful not to apply vibration during continuous recording.

9. Press the **YES** button display “EFB = **00** MO-P”.
Then, the optical pick-up moves to the pit area automatically and servo is imposed.
10. Observe the waveform of the oscilloscope, and check that the specified value is satisfied. Do not rotate the **◀◀ AMS ▶▶** knob.

(Traverse Waveform)




Specified value : Below 10% offset value

$$\text{Offset value (\%)} = \frac{|A - B|}{2(A + B)} \times 100$$

11. Press the **YES** button display “EF MO CHECK”.
The disc stops rotating automatically.
12. Press the **⏏** button and remove the disc.
13. Load the check disc (MD) TDYS-1.
14. Rotate the **◀◀ AMS ▶▶** knob and display “EF CD CHECK” (C04).
15. Press the **YES** button and display “EFB = **00** CD”. Servo is imposed automatically.
16. Observe the waveform of the oscilloscope, and check that the specified value is satisfied. Do not rotate the **◀◀ AMS ▶▶** knob.

(Traverse Waveform)



Specified value : Below 10% offset value

$$\text{Offset value (\%)} = \frac{|A - B|}{2(A + B)} \times 100$$

17. Press the **YES** button and display “EF CD CHECK”.
18. Press the **⏏** button and remove the check disc (MD) TDYS-1.

5-6-4. Focus Bias Check

Change the focus bias and check the focus tolerance amount.

Checking Procedure :

1. Load a test disk (MD W-74/AU-1).
A disc is loaded automatically, if pushing the tray.
2. Rotate the **◀◀ AMS ▶▶** knob and display “CPLAY MODE” (C30).
3. Press the **YES** button twice and display “CPLAY MID”.
4. Press the **MENU/NO** button when “C = **0000** AD = **00**” is displayed.
5. Rotate the **◀◀ AMS ▶▶** knob and display “FBIAS CHECK” (C05).
6. Press the **YES** button and display “**0000/00** c = **00**”.
The first four digits indicate the C1 error rate, the two digits after [/] indicate ADER, and the 2 digits after [c =] indicate the focus bias value.
Check that the C1 error is below 220 and ADER is below 2.
7. Press the **YES** button and display “**0000/00** b = **00**”.
Check that the C1 error is below 220 and ADER is below 2.
8. Press the **YES** button and display “**0000/00** a = **00**”.
Check that the C1 error is below 220 and ADER is below 2.
9. Press the **MENU/NO** button, next press the **⏏** button, and remove the test disc.

5-6-5. C PLAY Check

MO Error Rate Check

Checking Procedure :

1. Load a test disk (MDW-74/AU-1).
A disc is loaded automatically, if pushing the tray.
2. Rotate the **◀◀ AMS ▶▶** knob and display “CPLAY MODE” (C30).
3. Press the **YES** button and display “CPLAY MID”.
4. The display changes to “C = **0000** AD = **00**”.
5. If the C1 error rate is below 80, check that ADER is below 2.
6. Press the **MENU/NO** button, stop playback, press the **⏏** button, and test disc.

CD Error Rate Check

Checking Procedure :

1. Load a check disc (MD) TDYS-1.
A disc is loaded automatically, if pushing the tray.
2. Rotate the **◀◀ AMS ▶▶** knob and display “CPLAY MODE” (C30).
3. Press the **YES** button twice and display “CPLAY MID”.
4. The display changes to “C = **0000** AD = **00**”.
5. Check that the C1 error rate is below 50.
6. Press the **MENU/NO** button, stop playback, press the **⏏** button, and the test disc.

5-6-6. Self-Recording/playback Check

Prepare a continuous recording disc using the unit to be repaired and check the error rate.

Checking Procedure :

1. Insert a recordable disc (blank disc) into the unit.
A disc is loaded automatically, if pushing the tray.
2. Rotate the **◀◀ AMS ▶▶** knob to display “CREC MODE” (C31).
3. Press the **YES** button to display the “CREC MID”.
4. When recording starts, “**REC**” is displayed, this becomes “CREC @@@@” (@@@@ is the address), and recording starts.
5. About 1 minute later, press the **MENU/NO** button to stop continuous recording.
6. Rotate the **◀◀ AMS ▶▶** knob to display “CPLAY MODE”(C30).
7. Press the **YES** button to display “CPLAY MID”.

8. "C = [] AD = []" will be displayed.
9. Check that the C1 error becomes below 80 and the AD error below 2.
10. Press the **MENU/NO** button to stop playback, and press the **⏏** button and remove the disc.

5-7. INITIAL SETTING OF ADJUSTMENTVALUE

Note:

Mode which sets the adjustment results recorded in the non-volatile memory to the initial setting value. However the results of the temperature compensation offset adjustment will not change to the initial setting value.

If initial setting is performed, perform all adjustments again excluding the temperature compensation offset adjustment.

For details of the initial setting, refer to "5-4. Precautions for Adjustments" and execute the initial setting before the adjustment as required.

Setting Procedure :

1. Rotate the **◀◀ AMS ▶▶** knob to display "ADJ CLEAR (C24)".
2. Press the **YES** button. "Complete!" will be displayed momentarily and initial setting will be executed, after which "ADJ CLEAR" will be displayed.

5-8. RECORDING AND DISPLAYING THE IOP INFORMATION

The IOP data can be recorded in the non-volatile memory. The IOP value on the label of the optical pick-up and the IOP value after the adjustment will be recorded. Recording these data eliminates the need to read the label on the optical pick-up.

Recording Procedure :

1. While pressing the **◀◀ AMS ▶▶** knob and **■** button, connect the power plug to the outlet, and release the **◀◀ AMS ▶▶** knob and **■** button.
2. Rotate the **◀◀ AMS ▶▶** knob to display "[Service]", and press the **YES** button.
3. Rotate the **◀◀ AMS ▶▶** knob to display "Iop.Write" (C28), and press the **YES** button.
4. The display becomes Ref=@@.@ (@ is an arbitrary number) and the numbers which can be changed will blink.
5. Input the IOP value written on the optical pick-up.
To select the number : Rotate the **◀◀ AMS ▶▶** knob.
To select the digit : Press the **◀◀ AMS ▶▶** knob
6. When the **YES** button is pressed, the display becomes "Measu=@@.@." (@ is an arbitrary number).
7. As the adjustment results are recorded for the 6 value. Leave it as it is and press the **YES** button.
8. "Complete!" will be displayed momentarily. The value will be recorded in the non-volatile memory and the display will become "Iop Write".

Display Procedure :

1. Rotate the **◀◀ AMS ▶▶** knob to display "Iop.Read"(C27).
2. "@@.@/##.#" is displayed and the recorded contents are displayed.
@@.@ indicates the Iop value labeled on the pick-up.
##.# indicates the Iop value after adjustment
3. To end, press the **◀◀ AMS ▶▶** button or **MENU/NO** button to display "Iop Read".

5-9. TEMPERATURE COMPENSATION OFFSET ADJUSTMENT

Save the temperature data at that time in the non-volatile memory as 25 °C reference data.

Note :

1. Usually, do not perform this adjustment.
2. Perform this adjustment in an ambient temperature of 22 °C to 28 °C. Perform it immediately after the power is turned on when the internal temperature of the unit is the same as the ambient temperature of 22 °C to 28 °C.
3. When D101 has been replaced, perform this adjustment after the temperature of this part has become the ambient temperature.

Adjusting Procedure :

1. Rotate the **◀◀ AMS ▶▶** knob and display "TEMP ADJUS (C09)".
2. Press the **YES** button and select the "TEMPADJUS" mode.
3. "TEMP = [] [OK]" and the current temperature data will be displayed.
4. To save the data, press the **YES** button.
When not saving the data, press the **MENU/NO** button.
5. When the **YES** button is pressed, "TEMP = [] SAVE" will be displayed and turned back to "TEMPADJUS" display then. When the **MENU/NO** button is pressed, "TEMPADJUS" will be displayed immediately.


Specified Value :

The "TEMP = []" should be within "E0 - EF", "F0 - FF", "00 - 0F", "10 - 1F" and "20 - 2F".

5-10. LASER POWER ADJUSTMENT

Check the IOP value of the optical pick-up before adjustments. (Refer to 5-8. Recording and Displaying the IOP Information.)

Connection :



Adjusting Procedure :

1. Set the laser power meter on the objective lens of the optical pick-up. (When it cannot be set properly press the **◀◀** button or **▶▶** button to move the optical pick-up.)
Connect the digital voltmeter to CN110 pin 5 (I+3V) and CN110 pin 4 (IOP).
2. Rotate the **◀◀ AMS ▶▶** knob and display "LDPWRADJUS" (C10).
(Laser power : For adjustment)
3. Press the **YES** button once and display "LD 0.9 mW \$ []".
4. Rotate the **◀◀ AMS ▶▶** knob so that the reading of the laser power meter becomes 0.85 to 0.91 mW. Press the **YES** button after setting the range knob of the laser power meter, and save the adjustment results. ("LD SAVE \$ []" will be displayed for a moment.)
5. Then "LD 7.0 mW \$ []" will be displayed.
6. Rotate the **◀◀ AMS ▶▶** knob so that the reading of the laser power meter becomes 6.9 to 7.1 mW, press the **YES** button and save it.

Note: Do not perform the emission with 7.0 mW more than 15 seconds continuously.


7. Then, rotate the $\llbracket \llcorner \llcorner \text{AMS} \triangleright \triangleright \rrbracket$ knob and display “LDPWR CHECK” (C02).
8. Press the $\llbracket \text{YES} \rrbracket$ button once and display “LD 0.9 mW \$ $\square\square\square$ ”. Check that the reading of the laser power meter become 0.85 to 0.91 mW.
9. Press the $\llbracket \text{YES} \rrbracket$ button once more and display “LD 7.0 mW \$ $\square\square\square$ ”. Check that the reading the laser power meter and digital volt meter satisfy the specified value.
Note down the digital voltmeter reading value.

Specified Value:

Laser power meter reading: 7.0 ± 0.1 mW

Digital voltmeter reading : Optical pick-up displayed value $\pm 10\%$

(Optical pick-up label)



(For details of the method for checking this value, refer to “5-8. Recording and Displaying the IOP information”.)

$IOP = 82.5$ mA in this case

IOP (mA) = Digital voltmeter reading (mV)/1 (Ω)


10. Press the $\llbracket \text{MENU/NO} \rrbracket$ button and display “LDPWR CHECK” and stop the laser emission.
(The $\llbracket \text{MENU/NO} \rrbracket$ button is effective at all times to stop the laser emission.)
11. Rotate the $\llbracket \llcorner \llcorner \text{AMS} \triangleright \triangleright \rrbracket$ knob to display “Iop.Write”(C28).
12. Press the $\llbracket \text{YES} \rrbracket$ button. When the display becomes Ref=@@.@ (@ is an arbitrary number), press the $\llbracket \text{YES} \rrbracket$ button to display “Measu=@@.@.@” (@ is an arbitrary number).
13. The numbers which can be changed will blink. Input the Iop value noted down at step 9.
To select the number : Rotate the $\llbracket \llcorner \llcorner \text{AMS} \triangleright \triangleright \rrbracket$ knob.
To select the digit : Press the $\llbracket \llcorner \llcorner \text{AMS} \triangleright \triangleright \rrbracket$ knob.
14. When the $\llbracket \text{YES} \rrbracket$ button is pressed, “Complete!” will be displayed momentarily. The value will be recorded in the non-volatile memory and the display will become “Iop Write”.

Note 1: After step 4, each time the $\llbracket \text{YES} \rrbracket$ button is pressed, the display will be switched between “LD 0.7 mW \$ $\square\square\square$ ”, “LD 6.2 mW \$ $\square\square\square$ ”, and “LD Wp ホセイ \$ $\square\square\square$ ”. Nothing needs to be performed here.


5-11. TRAVERSE ADJUSTMENT

Note 1:Data will be erased during MO reading if a recorded disc is used in this adjustment.

Note 2:If the traverse waveform is not clear, connect the oscilloscope as shown in the following figure so that it can be seen more clearly.




Connection :



Adjusting Procedure :

1. Connect an oscilloscope to CN110 pin ③ (TE) and CN110 pin ① (VC) of the BD board.
2. Load a disc (any available on the market). (Refer to Note 1.) A disc is loaded automatically, if pushing the tray.
3. Press the $\llbracket \blacktriangleright \rrbracket$ button and move the optical pick-up outside the pit.
4. Rotate the $\llbracket \llcorner \llcorner \text{AMS} \triangleright \triangleright \rrbracket$ knob and display “EF MOADJUS” (C11).
5. Press the $\llbracket \text{YES} \rrbracket$ button and display “EFB = $\square\square$ MO-R”. (Laser power READ power/Focus servo ON/tracking servo OFF/spindle (S) servo ON)
6. Rotate the $\llbracket \llcorner \llcorner \text{AMS} \triangleright \triangleright \rrbracket$ knob so that the waveform of the oscilloscope becomes the specified value.
(When the $\llbracket \llcorner \llcorner \text{AMS} \triangleright \triangleright \rrbracket$ knob is rotated, the $\square\square$ of “EFB= $\square\square$ ” changes and the waveform changes.) In this adjustment, waveform varies at intervals of approx. 2%. Adjust the waveform so that the specified value is satisfied as much as possible.
(Read power traverse adjustment)


(Traverse Waveform)



7. Press the $\llbracket \text{YES} \rrbracket$ button and save the result of adjustment to the non-volatile memory (“EFB = $\square\square$ SAV” will be displayed for a moment. Then “EFB = $\square\square$ MO-W” will be displayed).

8. Rotate the $\llbracket \llcorner \text{AMS} \lrcorner \rrbracket$ knob so that the waveform of the oscilloscope becomes the specified value.
(When the $\llbracket \llcorner \text{AMS} \lrcorner \rrbracket$ knob is rotated, the $\llbracket \llcorner \text{E} \text{F} \text{B} \llcorner \rrbracket$ of "EFB- $\llbracket \llcorner \text{E} \text{F} \text{B} \llcorner \rrbracket$ " changes and the waveform changes.) In this adjustment, waveform varies at intervals of approx. 2%. Adjust the waveform so that the specified value is satisfied as much as possible.
(Write power traverse adjustment)


(Traverse Waveform)



Specification A = B

9. Press the $\llbracket \llcorner \text{YES} \lrcorner \rrbracket$ button, and save the adjustment results in the non-volatile memory. ("EFB = $\llbracket \llcorner \text{E} \text{F} \text{B} \llcorner \rrbracket$ SAV" will be displayed for a moment.)
10. "EFB = $\llbracket \llcorner \text{E} \text{F} \text{B} \llcorner \rrbracket$ MO-P". will be displayed.
The optical pick-up moves to the pit area automatically and servo is imposed.
11. Rotate the $\llbracket \llcorner \text{AMS} \lrcorner \rrbracket$ knob until the waveform of the oscilloscope moves closer to the specified value.
In this adjustment, waveform varies at intervals of approx. 2%. Adjust the waveform so that the specified value is satisfied as much as possible.


(Traverse Waveform)



Specification A = B

12. Press the $\llbracket \llcorner \text{YES} \lrcorner \rrbracket$ button, and save the adjustment results in the non-volatile memory. ("EFB = $\llbracket \llcorner \text{E} \text{F} \text{B} \llcorner \rrbracket$ SAV" will be displayed for a moment.)
Next "EF MO ADJUS" is displayed. The disc stops rotating automatically.
13. Press the $\llbracket \llcorner \text{E} \text{F} \text{B} \llcorner \rrbracket$ button and remove the disc.
14. Load the check disc (MD) TDYS-1.
A disc is loaded automatically, if pushing the tray.
15. Rotate $\llbracket \llcorner \text{AMS} \lrcorner \rrbracket$ knob and display "EF CD ADJUS" (C12).
16. Press the $\llbracket \llcorner \text{YES} \lrcorner \rrbracket$ button and display "EFB = $\llbracket \llcorner \text{E} \text{F} \text{B} \llcorner \rrbracket$ CD". Servo is imposed automatically.
17. Rotate the $\llbracket \llcorner \text{AMS} \lrcorner \rrbracket$ knob so that the waveform of the oscilloscope moves closer to the specified value.
In this adjustment, waveform varies at intervals of approx. 2%. Adjust the waveform so that the specified value is satisfied as much as possible.

(Traverse Waveform)



Specification A = B

18. Press the $\llbracket \llcorner \text{YES} \lrcorner \rrbracket$ button, display "EFB = $\llbracket \llcorner \text{E} \text{F} \text{B} \llcorner \rrbracket$ SAV" for a moment and save the adjustment results in the non-volatile memory.
Next "EF CD ADJUS" will be displayed.
19. Press the $\llbracket \llcorner \text{E} \text{F} \text{B} \llcorner \rrbracket$ button and remove the check disc (MD) TDYS-1.


5-12. FOCUS BIAS ADJUSTMENT

Adjusting Procedure :

- Load a test disk (MDW-74/AU-1).
A disc is loaded automatically, if pushing the tray.
- Rotate the $\llbracket \llcorner \text{AMS} \lrcorner \rrbracket$ knob and display "CPLAY MODE" (C30).
- Press the $\llbracket \llcorner \text{YES} \lrcorner \rrbracket$ button and display "CPLAY MID".
- Press the $\llbracket \llcorner \text{MENU/NO} \lrcorner \rrbracket$ button when "C = $\llbracket \llcorner \text{C} \llcorner \rrbracket$ AD = $\llbracket \llcorner \text{A} \text{D} \llcorner \rrbracket$ " is displayed.
- Rotate the $\llbracket \llcorner \text{AMS} \lrcorner \rrbracket$ knob and display "FBIAS ADJUST" (C13).
- Press the $\llbracket \llcorner \text{YES} \lrcorner \rrbracket$ button and display " $\llbracket \llcorner \text{C} \llcorner \rrbracket$ a = $\llbracket \llcorner \text{a} \llcorner \rrbracket$ ".
The first four digits indicate the C1 error rate, the two digits after [/] indicate ADER, and the 2 digits after [a =] indicate the focus bias value.
- Rotate the $\llbracket \llcorner \text{AMS} \lrcorner \rrbracket$ knob in the clockwise direction and find the focus bias value at which the C1 error rate becomes 220 (Refer to Note 2).
- Press the $\llbracket \llcorner \text{YES} \lrcorner \rrbracket$ button and display " $\llbracket \llcorner \text{C} \llcorner \rrbracket$ b = $\llbracket \llcorner \text{b} \llcorner \rrbracket$ ".
- Rotate the $\llbracket \llcorner \text{AMS} \lrcorner \rrbracket$ knob in the counterclockwise direction and find the focus bias value at which the C1 error rate becomes 220.
- Press the $\llbracket \llcorner \text{YES} \lrcorner \rrbracket$ button and display " $\llbracket \llcorner \text{C} \llcorner \rrbracket$ c = $\llbracket \llcorner \text{c} \llcorner \rrbracket$ ".
- Check that the C1 error rate is below 50 and ADER is 00.
Then press the $\llbracket \llcorner \text{YES} \lrcorner \rrbracket$ button.
- If the " $\llbracket \llcorner \text{C} \llcorner \rrbracket$ " in " $\llbracket \llcorner \text{C} \llcorner \rrbracket$ - $\llbracket \llcorner \text{a} \llcorner \rrbracket$ - $\llbracket \llcorner \text{b} \llcorner \rrbracket$ ($\llbracket \llcorner \text{C} \llcorner \rrbracket$)" is above 20, press the $\llbracket \llcorner \text{YES} \lrcorner \rrbracket$ button.
If below 20, press the $\llbracket \llcorner \text{MENU/NO} \lrcorner \rrbracket$ button and repeat the adjustment from step 2.
- Press the $\llbracket \llcorner \text{E} \text{F} \text{B} \llcorner \rrbracket$ button to remove the test disc.

Note 1: The relation between the C1 error and focus bias is as shown in the following figure. Find points a and b in the following figure using the above adjustment. The focal point position C is automatically calculated from points a and b.

Note 2: As the C1 error rate changes, perform the adjustment using the average value.



5-13. ERROR RATE CHECK

5-13-1. CD Error Rate Check

Checking Procedure :

1. Load a check disc (MD) TDYS-1.
A disc is loaded automatically, if pushing the tray.
2. Rotate the **[◀◀ AMS ▶▶]** knob and display “CPLAY MODE” (C30).
3. Press the **[YES]** button twice and display “CPLAY MID”.
4. The display changes to “C = [] AD = []”.
5. Check that the C1 error rate is below 20.
6. Press the **[MENU/NO]** button, stop playback, press the **[⏏]** button, and remove the test disc.

5-13-2. MO Error Rate Check

Checking Procedure :

1. Load a test disc (MDW-74/AU-1).
A disc is loaded automatically, if pushing the tray.
2. Rotate the **[◀◀ AMS ▶▶]** knob and display “CPLAY MODE” (C30).
3. Press the **[YES]** button and display “CPLAY MID”.
4. The display changes to “C = [] AD = []”.
5. If the C1 error rate is below 50, check that ADER is 00.
6. Press the **[MENU/NO]** button, stop playback, press the **[⏏]** button, and remove the test disc.

5-14. FOCUS BIAS CHECK

Change the focus bias and check the focus tolerance amount.

Checking Procedure :

1. Load a test disc (MDW-74/AU-1).
A disc is loaded automatically, if pushing the tray.
2. Rotate the **[◀◀ AMS ▶▶]** knob and display “CPLAY MODE” (C30).
3. Press the **[YES]** button twice and display “CPLAY MID”.
4. Press the **[MENU/NO]** button when “C = [] AD = []” is displayed.
5. Rotate the **[◀◀ AMS ▶▶]** knob and display “FBIAS CHECK” (C05).
6. Press the **[YES]** button and display “[]/[] c = []”.
The first four digits indicate the C1 error rate, the two digits after [/] indicate ADER, and the 2 digits after [c =] indicate the focus bias value.
Check that the C1 error is below 50 and ADER is below 2.
7. Press the **[YES]** button and display “[]/[] b = []”.
Check that the C1 error is below 220 and ADER is below 2.
8. Press the **[YES]** button and display “[]/[] a = []”.
Check that the C1 error is below 220 and ADER is below 2.
9. Press the **[MENU/NO]** button, next press the **[⏏]** button, and remove the continuously recorded disc.

Note 1: If the C1 error and ADER are above other than the specified value at points a (step 8. in the above) or b (step 7. in the above), the focus bias adjustment may not have been carried out properly. Adjust perform the beginning again.

5-15. AUTO GAIN CONTROL OUTPUT LEVEL ADJUSTMENT

Be sure to perform this adjustment when the pickup is replaced. If the adjustment results becomes “Adjust NG!”, the pickup may be faulty or the servo system circuits may be abnormal.

5-15-1. CD Auto Gain Control Output Level Adjustment

Adjusting Procedure :

1. Insert the check disc (MD) TDYS-1.
A disc is loaded automatically, if pushing the tray.
2. Rotate the **[◀◀ AMS ▶▶]** knob to display “AG Set (CD)” (C26).
3. When the **[YES]** button is pressed, the adjustment will be performed automatically.
“Complete!!” will then be displayed momentarily when the value is recorded in the non-volatile memory, after which the display changes to “AG Set (CD)”.
4. Press the **[⏏]** button to remove the disc.


5-15-2. MO Auto Gain Control Output Level Adjustment

Adjusting Procedure :


1. Insert the reference disc (MDW-74/AU-1) for recording.
A disc is loaded automatically, if pushing the tray.
2. Rotate the **[◀◀ AMS ▶▶]** knob to display “AG Set (MO)” (C25).
3. When the **[YES]** button is pressed, the adjustment will be performed automatically.
“Complete!!” will then be displayed momentarily when the value is recorded in the non-volatile memory, after which the display changes to “AG Set (MO)”.
4. Press the **[⏏]** button to remove the disc.

5-16. ADJUSTING POINTS AND CONNECTING POINTS

[BD Board] (SIDE A)




[BD Board] (SIDE B)




Note: It is useful to use the jig. for checking the waveform. (Refer to Servicing Notes on page 7.)

SECTION 6
DIAGRAMS


6-1. BLOCK DIAGRAM - MD SERVO Section -



6-2. BLOCK DIAGRAM – MAIN Section –



• Circuit Boards Location



6-3. NOTE FOR PRINTED WIRING BOARDS AND SCHEMATIC DIAGRAMS

Note on Schematic Diagram:

- All capacitors are in μF unless otherwise noted. pF: $\mu\mu\text{F}$ 50 WV or less are not indicated except for electrolytics and tantalums.
- All resistors are in Ω and $1/4\text{W}$ or less unless otherwise specified.
- \triangle : internal component.
-  : nonflammable resistor.
-  : panel designation.

Note:

The components identified by mark \triangle or dotted line with mark \triangle are critical for safety. Replace only with part number specified.

Note:

Les composants identifiés par une marque \triangle sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié.


-  : B+ Line.
-  : B- Line.
- Voltages and waveforms are dc with respect to g round under no-signal conditions.
no mark : STOP
() : PLAY
<< >> : REC
- Voltages are taken with aVOM (Input impedance 10 M Ω). Voltage variations may be noted due to normal production tolerances.
- Waveforms are taken with an oscilloscope. Voltage variations may be noted due to normal production tolerances.
- Circled numbers refer to waveforms.
- Signal path.
 : PB
 : REC
 : PB (Digital out)
 : REC (Digital in)
- Abbreviation
CND : Canadian model.

Note on Printed Wiring Boards:

-  : parts extracted from the component side.
-  : parts extracted from the conductor side.
-  : Pattern from the side which enables seeing. (The other layers' patterns are not indicated.)


Caution:
Pattern face side: Parts on the pattern face side seen from the pattern face are indicated.
(Conductor Side)
Parts face side: Parts on the parts face side seen from the parts face are indicated.
(Component Side)

- Indication of transistor.




- Abbreviation
CND : Canadian model.

6-4. PRINTED WIRING BOARD – BD Section –
 • See page 39 for Circuit Boards Location.



• Semiconductor Location (Component Side)

Ref. No.	Location
D101	G-6
D181	A-1
D183	A-1
IC103	E-6
IC123	B-3
IC171	A-6
Q102	E-5
Q103	C-6
Q104	E-6




• Semiconductor Location (Conductor Side)


Ref. No.	Location
IC101	G-5
IC121	C-5
IC124	C-6
IC152	E-2
IC181	C-2
IC192	B-1
Q101	E-6
Q162	E-6
Q163	D-5
Q181	B-2
Q182	B-3

S102 REFLECT/PROTECT DETECT!
 HIGH REFLECT RATE/
 WRITE PROTECT
 ↓
 LOW REFLECT RATE/
 UN-PROTECT

6-5. SCHEMATIC DIAGRAM – BD Section (1/2) – • See page 71 for Waveforms. • See page 73 and 74 for IC Block Diagrams.



6-6. SCHEMATIC DIAGRAM – BD Section (2/2) – • See page 71 for Waveforms. • See page 73 and 74 for IC Block Diagrams.




The components identified by mark Δ or dotted line with mark Δ are critical for safety. Replace only with part number specified.


Les composants identifiés par une marque Δ sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié.

6-7. PRINTED WIRING BOARDS – BD SWITCH Section –


• See page 39 for Circuit Boards Location.




【OUT SWITCH BOARD】



【MOTOR BOARD】




6-8. SCHEMATIC DIAGRAM – BD SWITCH Section –



6-9. PRINTED WIRING BOARD – AUDIO Board (Component Side) – • See page 39 for Circuit Boards Location.


【AU BOARD】
(COMPONENT SIDE)



05

1-669-297-

11
(11)




B
BD BOARD
(1/2)
CN103
(Page 44)

C
POWER BOARD
CN701
(Page 69)

1
AU BOARD
(2/2)
(Page 55)

D
FL BOARD
CN701
(Page 64)

6-12. SCHEMATIC DIAGRAM – AUDIO Section (2/2) – • See page 71 and 72 for Waveforms. • See page 75 and 76 for IC Block Diagrams.



1 AU BOARD (1/2) (Page 54)

E DIGITAL BOARD CN707 (Page 60)


F POWER BOARD CN706 (Page 69)

G HEADPHONE BOARD CN790 (Page 64)


H ANALOG VOLUME BOARD CN760 (Page 64)

6-13. PRINTED WIRING BOARD – DIGITAL Section – • See page 39 for Circuit Boards Location.

【DIGITAL BOARD】
(COMPONENT SIDE)




【DIGITAL BOARD】
(CONDUCTOR SIDE)




• Semiconductor Location

Ref. No.	Location
D800	F-2
IC300	B-2
IC301	B-2
IC302	C-3
IC303	B-3
IC304	D-3
IC305	D-2
Q800	F-3

6-14. SCHEMATIC DIAGRAM – DIGITAL Section – • See page 77 for IC Block Diagram.






6-15. PRINTED WIRING BOARDS – PANEL Section – • See page 39 for Circuit Boards Location.




• Semiconductor Location – FL Board –

Ref. No.	Location
D753	C-4
D754	C-3
D755	C-1
IC771	A-9
Q753	C-5
Q754	C-5
Q755	C-5
Q781	B-6
Q782	B-6



6-16. SCHEMATIC DIAGRAM – PANEL Section – • See page 72 for Waveforms.



(G)
AU BOARD
CN200
(Page 56)


(D)
AU BOARD
(1/2)
CN800
(Page 54)

The components identified by mark Δ or dotted line with mark Δ are critical for safety. Replace only with part number specified.

Les composants identifiés par une marque Δ sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié.

6-17. PRINTED WIRING BOARD – POWER Board (Component Side) – • See page 39 for Circuit Boards Location.


【POWER BOARD】
(COMPONENT SIDE)



05


6-18. PRINTED WIRING BOARDS – POWER Board (Conductor Side), AC Board – • See page 39 for Circuit Boards Location.

【POWER BOARD】
(CONDUCTOR SIDE)




• Semiconductor Location
– POWER Board –


Ref. No.	Location
D400	B-6
D705	C-2
D706	C-2
D708	B-1
D709	C-3
D710	D-3
D711	D-3
D712	D-3
D713	A-5
D714	B-5
D715	A-2
D716	A-2
D717	B-2
D718	B-2
D719	D-2
D720	D-2
D721	D-5
IC400	A-6
IC700	C-5
IC701	C-2
IC702	A-4
IC703	B-4
IC704	D-4
Q400	B-6
Q401	B-6
Q703	B-1
Q705	B-1



【AC BOARD】



6-19. SCHEMATIC DIAGRAM – POWER Section – • See page 77 for IC Block Diagrams.




The components identified by mark \triangle or dotted line with mark \triangle are critical for safety. Replace only with part number specified.


Les composants identifiés par une marque \triangle sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié.

• Waveforms
– BD Board –


1 IC101 ① (I), ② (J) (Play mode)




6 IC121 ⑳ (XBCK)



2 IC101 ④ (A) (Play mode)




7 IC121 ㉑ (FS256)




– AU Board –


1 IC200 ② (BCK)




2 IC200 ④ (LRCK)




3 IC101 ⑧ (E), ⑨ (F) (Play mode)




8 IC121 ㉒ (FS4)




3 IC200 ⑳ (XOUT)




4 IC121 ⑳ (OSC1)




4 IC200 ④ (64FSO)



5 IC121 ㉑ (LRCK)




5 IC200 ④ (256FSO)




– FL Board –


⑥ IC100 ⑩ (LRCK1)




① IC771 ⑥⑥ (OSCO)




⑦ IC100 ⑪ (BCK1)




② IC771 ⑥⑤ (OSCI)



⑧ IC800 ⑪ (XOUT)




⑨ IC800 ⑬ (XOUT)




• IC Block Diagrams

– BD Board –


IC101 CXA2523AR



IC121 CXD2654R




IC152 BH6511FS-E2




– AU Board –


IC100 CXD8607N-T6




IC101 CXA8054M




IC203, 204 CXA8042AS




IC200 CXD8735N-TP




- DIGITAL Board -
IC300 SN74HC153ANS




- POWER Board -
IC400 LB1641



IC700 LA5632



IC701 M5293L



6-20. IC PIN FUNCTION DESCRIPTION

• BD BOARD IC101 CXA2523AR (RF AMP, FOCUS/TRACKING ERROR AMP)

Pin No.	Pin Name	I/O	Function
1	I	I	I-V converted RF signal I input from the optical pick-up block detector
2	J	I	I-V converted RF signal J input from the optical pick-up block detector
3	VC	O	Middle point voltage (+1.65V) generation output terminal
4 to 9	A to F	I	Signal input from the optical pick-up detector
10	PD	I	Light amount monitor input from the optical pick-up block laser diode
11	APC	O	Laser amplifier output terminal to the automatic power control circuit
12	APCREF	I	Reference voltage input terminal for setting laser power
13	GND	—	Ground terminal
14	TEMPI	I	Connected to the temperature sensor
15	TEMPR	O	Output terminal for a temperature sensor reference voltage
16	SWDT	I	Writing serial data input from the CXD2654R (IC121)
17	SCLK	I	Serial data transfer clock signal input from the CXD2654R (IC121)
18	XLAT	I	Serial data latch pulse signal input from the CXD2654R (IC121)
19	XSTBY	I	Standby signal input terminal “L”: standby (fixed at “H” in this set)
20	F0CNT	I	Center frequency control voltage input terminal of internal circuit (BPF22, BPF3T, EQ) input from the CXD2654R (IC121)
21	VREF	O	Reference voltage output terminal Not used (open)
22	EQADJ	I	Center frequency setting terminal for the internal circuit (EQ)
23	3TADJ	I	Center frequency setting terminal for the internal circuit (BPF3T)
24	VCC	—	Power supply terminal (+3.3V)
25	WBLADJ	I	Center frequency setting terminal for the internal circuit (BPF22)
26	TE	O	Tracking error signal output to the CXD2654R (IC121)
27	CSLED	I	Connected to the external capacitor for low-pass filter of the sled error signal
28	SE	O	Sled error signal output to the CXD2654R (IC121)
29	ADFM	O	FM signal output of the ADIP
30	ADIN	I	Receives a ADIP FM signal in AC coupling
31	ADAGC	I	Connected to the external capacitor for ADIP AGC
32	ADFG	O	ADIP duplex signal (22.05 kHz \pm 1 kHz) output to the CXD2654R (IC121)
33	AUX	O	Auxiliary signal (I ₃ signal/temperature signal) output to the CXD2654R (IC121)
34	FE	O	Focus error signal output to the CXD2654R (IC121)
35	ABCD	O	Light amount signal (ABCD) output to the CXD2654R (IC121)
36	BOTM	O	Light amount signal (RF/ABCD) bottom hold output to the CXD2654R (IC121)
37	PEAK	O	Light amount signal (RF/ABCD) peak hold output to the CXD2654R (IC121)
38	RF	O	Playback EFM RF signal output to the CXD2654R (IC121)
39	RFAGC	I	Connected to the external capacitor for RF auto gain control circuit
40	AGCI	I	Receives a RF signal in AC coupling
41	COMPO	O	User comparator output terminal Not used (open)
42	COMPP	I	User comparator input terminal Not used (fixed at “L”)
43	ADDC	I	Connected to the external capacitor for cutting the low band of the ADIP amplifier
44	OPO	O	User operational amplifier output terminal Not used (open)
45	OPN	I	User operational amplifier inversion input terminal Not used (fixed at “L”)
46	RFO	O	RF signal output terminal
47	MORFI	I	Receives a MO RF signal in AC coupling
48	MORFO	O	MO RF signal output terminal

• **BD BOARD IC121 CXD2654R**

(DIGITAL SIGNAL PROCESSOR, DIGITAL SERVO PROCESSOR, EFM/ACIRC ENCODER/DECODER, SHOCK PROOF MEMORY CONTROLLER, ATRAC ENCODER/DECODER)

Pin No.	Pin Name	I/O	Function
1	MNT0 (FOK)	O	Focus OK signal output to the system controller (IC800) “H” is output when focus is on (“L”: NG)
2	MNT1 (SHOCK)	O	Track jump detection signal output to the system controller (IC800)
3	MNT2 (XBUSY)	O	Busy monitor signal output to the system controller (IC800)
4	MNT3 (SLOCK)	O	Spindle servo lock status monitor signal output to the system controller (IC800)
5	SWDT	I	Writing serial data signal input from the system controller (IC800)
6	SCLK	I (S)	Serial data transfer clock signal input from the system controller (IC800)
7	XLAT	I (S)	Serial data latch pulse signal input from the system controller (IC800)
8	SRDT	O (3)	Reading serial data signal output to the system controller (IC800)
9	SENS	O (3)	Internal status (SENSE) output to the system controller (IC800)
10	$\overline{\text{XRST}}$	I (S)	Reset signal input from the system controller (IC800) “L”: reset
11	SQSY	O	Subcode Q sync (SCOR) output to the system controller (IC800) “L” is output every 13.3 msec Almost all, “H” is output
12	DQSY	O	Digital In U-bit CD format subcode Q sync (SCOR) output to the system controller (IC800) “L” is output every 13.3 msec Almost all, “H” is output
13	RECP	I	Laser power selection signal input from the system controller (IC800) “H”: recording mode, “L”: playback mode
14	XINT	O	Interrupt status output to the system controller (IC800)
15	TX	I	Recording data output enable signal input from the system controller (IC800) Writing data transmission timing input (Also serves as the magnetic head on/off output)
16	OSCI	I	System clock signal (512Fs=22.5792 MHz) input from the D/A converter (IC200)
17	OSCO	O	System clock signal (512Fs=22.5792 MHz) output terminal Not used (open)
18	XTSL	I	Input terminal for the system clock frequency setting “L”: 45.1584 MHz, “H”: 22.5792 MHz (fixed at “H” in this set)
19	DIN0	I	Digital audio signal input terminal when recording mode (for digital optical in/digital coaxial in)
20	DIN1	I	Digital audio signal input terminal when recording mode Not used (fixed at “L”)
21	DOUT	O	Digital audio signal output terminal when playback mode (for digital optical out/digital coaxial out)
22	DATAI	I	Serial data input terminal Not used (fixed at “L”)
23	LRCKI	I	L/R sampling clock signal (44.1 kHz) input terminal Not used (fixed at “L”)
24	XBCKI	I	Bit clock signal (2.8224 MHz) input terminal Not used (fixed at “L”)
25	ADDT	I	Recording data input from the A/D converter (IC100)
26	DADT	O	Playback data output to the D/A converter (IC200)
27	LRCK	O	L/R sampling clock signal (44.1 kHz) output to the A/D converter (IC100) and D/A converter (IC200)
28	XBCK	O	Bit clock signal (2.8224 MHz) output to the A/D converter (IC100) and D/A converter (IC200)
29	FS256	O	Clock signal (11.2896 MHz) output terminal Not used (open)
30	DVDD	—	Power supply terminal (+3.3V) (digital system)
31 to 34	A03 to A00	O	Address signal output to the D-RAM (IC124)
35	A10	O	Address signal output to the external D-RAM Not used (open)
36 to 40	A04 to A08	O	Address signal output to the D-RAM (IC124)
41	A11	O	Address signal output to the external D-RAM Not used (open)
42	DVSS	—	Ground terminal (digital system)
43	$\overline{\text{XOE}}$	O	Output enable signal output to the D-RAM (IC124) “L” active
44	$\overline{\text{XCAS}}$	O	Column address strobe signal output to the D-RAM (IC124) “L” active

* I (S) stands for schmitt input, I (A) for analog input, O (3) for 3-state output, and O (A) for analog output in the column I/O.

Pin No.	Pin Name	I/O	Function
45	A09	O	Address signal output to the D-RAM (IC124)
46	$\overline{\text{XRAS}}$	O	Row address strobe signal output to the D-RAM (IC124) "L" active
47	$\overline{\text{XWE}}$	O	Write enable signal output to the D-RAM (IC124) "L" active
48	D1	I/O	Two-way data bus with the D-RAM (IC124)
49	D0	I/O	
50	D2	I/O	
51	D3	I/O	
52	MVCI	I (S)	Digital in PLL oscillation input from the external VCO Not used (fixed at "L")
53	ASYO	O	Playback EFM full-swing output terminal
54	ASYI	I (A)	Playback EFM asymmetry comparator voltage input terminal
55	AVDD	—	Power supply terminal (+3.3V) (analog system)
56	BIAS	I (A)	Playback EFM asymmetry circuit constant current input terminal
57	RFI	I (A)	Playback EFM RF signal input from the CXA2523AR (IC101)
58	AVSS	—	Ground terminal (analog system)
59	PCO	O (3)	Phase comparison output for master clock of the recording/playback EFM master PLL
60	FILI	I (A)	Filter input for master clock of the recording/playback master PLL
61	FILO	O (A)	Filter output for master clock of the recording/playback master PLL
62	CLTV	I (A)	Internal VCO control voltage input of the recording/playback master PLL
63	PEAK	I (A)	Light amount signal (RF/ABCD) peak hold input from the CXA2523AR (IC101)
64	BOTM	I (A)	Light amount signal (RF/ABCD) bottom hold input from the CXA2523AR (IC101)
65	ABCD	I (A)	Light amount signal (ABCD) input from the CXA2523AR (IC101)
66	FE	I (A)	Focus error signal input from the CXA2523AR (IC101)
67	AUX1	I (A)	Auxiliary signal (I ₃ signal/temperature signal) input from the CXA2523AR (IC101)
68	VC	I (A)	Middle point voltage (+1.65V) input from the CXA2523AR (IC101)
69	ADIO	O (A)	Monitor output of the A/D converter input signal Not used (open)
70	AVDD	—	Power supply terminal (+3.3V) (analog system)
71	ADRT	I (A)	A/D converter operational range upper limit voltage input terminal (fixed at "H" in this set)
72	ADRB	I (A)	A/D converter operational range lower limit voltage input terminal (fixed at "L" in this set)
73	AVSS	—	Ground terminal (analog system)
74	SE	I (A)	Sled error signal input from the CXA2523AR (IC101)
75	TE	I (A)	Tracking error signal input from the CXA2523AR (IC101)
76	DCHG	I (A)	Connected to the +3.3V power supply
77	APC	I (A)	Error signal input for the laser automatic power control Not used (fixed at "H")
78	ADFG	I (S)	ADIP duplex FM signal (22.05 kHz \pm 1 kHz) input from the CXA2523AR (IC101)
79	F0CNT	O	Filter f0 control signal output to the CXA2523AR (IC101)
80	XLRF	O	Serial data latch pulse signal output to the CXA2523AR (IC101)
81	CKRF	O	Serial data transfer clock signal output to the CXA2523AR (IC101)
82	DTRF	O	Writing serial data output to the CXA2523AR (IC101)
83	APCREF	O	Control signal output to the reference voltage generator circuit for the laser automatic power control
84	LDDR	O	PWM signal output for the laser automatic power control Not used (open)
85	TRDR	O	Tracking servo drive PWM signal (–) output to the BH6511FS (IC152)
86	TFDR	O	Tracking servo drive PWM signal (+) output to the BH6511FS (IC152)
87	DVDD	—	Power supply terminal (+3.3V) (digital system)
88	FFDR	O	Focus servo drive PWM signal (+) output to the BH6511FS (IC152)
89	FRDR	O	Focus servo drive PWM signal (–) output to the BH6511FS (IC152)
90	FS4	O	Clock signal (176.4 kHz) output terminal (X'tal system) Not used (open)

* I (S) stands for schmitt input, I (A) for analog input, O (3) for 3-state output, and O (A) for analog output in the column I/O.

Pin No.	Pin Name	I/O	Function
91	SRDR	O	Sled servo drive PWM signal (–) output to the BH6511FS (IC152)
92	SFDR	O	Sled servo drive PWM signal (+) output to the BH6511FS (IC152)
93	SPRD	O	Spindle servo drive PWM signal (–) output to the BH6511FS (IC152)
94	SPFD	O	Spindle servo drive PWM signal (+) output to the BH6511FS (IC152)
95	FGIN	I (S)	Input terminal for the test (fixed at “L”)
96	TEST1	I	
97	TEST2	I	
98	TEST3	I	
99	DVSS	—	Ground terminal (digital system)
100	EFMO	O	EFM signal output terminal when recording mode

* I (S) stands for schmitt input, I (A) for analog input, O (3) for 3-state output, and O (A) for analog output in the column I/O.


• AU BOARD IC100 CXD8607N (A/D CONVERTER)

Pin No.	Pin Name	I/O	Function
1	INRP	I	R-ch analog signal (-) input terminal
2	INRM	I	R-ch analog signal (+) input terminal
3	REFI	I	Reference voltage (+3.3V) input terminal (for A/D converter section)
4	AVDD	—	Power supply terminal (+5V) (for A/D converter section, analog system)
5	AVSS	—	Ground terminal (for A/D converter section, analog system)
6	APD	I	Power down detection input of the A/D converter section (for analog section) “L”: power down
7N	U	—	Not used (open)
8N	U	—	Not used (open)
9	TEST1	I	Input terminal for the test (fixed at “L”)
10	LRCK1	I	L/R sampling clock signal (44.1 kHz) input from the CXD2654R (IC121) (for A/D converter section)
11	BCK1	I	Bit clock signal (2.8224 MHz) input from the CXD2654R (IC121) (for A/D converter section)
12	ADDT	O	Recording data output to the CXD2654R (IC121)
13	V35A	—	Power supply terminal (+3.3V) (for analog system)
14	VSS1	—	Ground terminal (for A/D converter section, digital system)
15	MCKI	I	Master clock (256Fs=11.2896 MHz) input of the A/D converter section
16	$\overline{\text{DPD}}$	I	Reset signal input from the system controller (IC800) Reset signal is used as a detection signal of power down to A/D converter section (digital section) “L”: reset (power down)
17	VSS2	—	Ground terminal (for D/A converter section, digital system)
18	$\overline{\text{RES}}$	I	Reset signal input terminal Reset signal is used as a initialize signal to D/A converter section “L”: reset (initialize) Not used D/A converter section in this set
19	MODE	I	Writing data input terminal Not used (fixed at “L”)
20	SHIFT	I	Serial clock signal input terminal Not used (fixed at “L”)
21	XLATCH	I	Serial data latch pulse signal input terminal Not used (fixed at “L”)
22	256CK	O	256Fs (11.2896 MHz) clock signal output terminal Not used (open)
23	V35D	—	Power supply terminal (+3.3V) (for digital system) Not used (open)
24	VSS2	—	Ground terminal (for D/A converter section, digital system)
25	512FS	O	512Fs (22.5792 MHz) clock signal output terminal Not used (pull down)
26	BCK2	I	Bit clock signal (2.8224 MHz) input terminal (for D/A converter section) Not used (fixed at “L”)
27	DADT	I	Playback data input terminal Not used (fixed at “L”)
28	LRCK2	I	L/R sampling clock signal (44.1 kHz) input terminal (for D/A converter section) Not used (fixed at “L”)
29	VDD2	—	Power supply terminal (+5V) (for D/A converter section, digital system) Not used (fixed at “L”)
30	R1	O	R-ch PLM signal 1 output terminal Not used (open)
31	AVDDR	—	Power supply terminal (+5V) (for R-ch side D/A converter section, analog system) Not used (fixed at “L”)
32	R2	O	R-ch PLM signal 2 output terminal Not used (open)
33	AVSSR	—	Ground terminal (for R-ch side D/A converter section, analog system)
34	XVDD	—	Power supply terminal (+5V) (for X’tal system) Not used (open)
35	XOUT	O	System clock output terminal (22 MHz) Not used (open)
36	XIN	I	System clock input terminal (22 MHz) Not used (fixed at “L”)
37	XVSS	—	Ground terminal (for X’tal system)
38	AVSSL	—	Ground terminal (for L-ch side D/A converter section, analog system)
39	L2	O	L-ch PLM signal 2 output terminal Not used (open)

Pin No.	Pin Name	I/O	Function
40	AVDDL	—	Power supply terminal (+5V) (for L-ch side D/A converter section, analog system) Not used (open)
41	L1	O	L-ch PLM signal 1 output terminal Not used (open)
42	VDD2	—	Power supply terminal (+5V) (for L-ch side D/A converter section, digital system) Not used (open)
43, 44	VDD1	—	Power supply terminal (+5V) (for A/D converter section, digital system)
45	VSS1	—	Ground terminal (for A/D converter section, digital system)
46	TEST2	I	Input terminal for the test (fixed at “L”)
47	TEST3	I	Input terminal for the test (fixed at “L”)
48	VSS1	—	Ground terminal (for A/D converter section, digital system)
49	NU	—	Not used (open)
50	NU	—	Not used (open)
51	AVSS	—	Ground terminal (for A/D converter section, analog system)
52	LVDD	—	Power supply terminal (+5V) (for A/D converter section, buffer system)
53	LVSS	—	Ground terminal (for A/D converter section, buffer system)
54	REFO	O	Reference voltage (+3.3V) output terminal (for A/D converter section)
55	INLM	I	L-ch analog signal (+) input terminal
56	INLP	I	L-ch analog signal (-) input terminal

• AU BOARD IC800 M30610MCA-260FP (SYSTEM CONTROLLER)

Pin No.	Pin Name	I/O	Function
1	JOG1	I	JOG dial pulse input from the rotary encoder (S713 ◀◀ AMS ▶▶)
2	JOG0	I	JOG dial pulse input from the rotary encoder (S713 ◀◀ AMS ▶▶)
3	C1	O	Monitor output terminal for the test C1 error rate is output when test mode
4	ADER	O	Monitor output terminal for the test ADER is output when test mode
5	SQSY	I	Subcode Q sync (SCOR) input from the CXD2654R (IC121) “L” is input every 13.3 msec Almost all, “H” is input
6	RMC	I	Remote control signal input from the remote control receiver (IC761)
7	AIN1	I	Sircs remote control signal input of the S-LINK CONTROL A1
8	BYTE	I	External data bus line byte selection signal input “L”: 16 bit, “H”: 8 bit (fixed at “L”)
9	CNVSS	—	Ground terminal
10	XT-IN	I	Sub system clock input terminal (32.768 kHz)
11	XT-OUT	O	Sub system clock output terminal (32.768 kHz)
12	$\overline{\text{S.RST}}$	I	System reset signal input from the LA5632 (IC700) “L”: reset For several hundreds msec. after the power supply rises, “L” is input, then it changes to “H”
13	XOUT	O	Main system clock output terminal (7 MHz)
14	GND	—	Ground terminal
15	XIN	I	Main system clock input terminal (7 MHz)
16	+3.3V	—	Power supply terminal (+3.3V)
17	NMI	I	Non-maskable interrupt input terminal (fixed at “H” in this set)
18	DQSY	I	Digital In U-bit CD format subcode Q sync (SCOR) input from the CXD2654R (IC121) “L” is input every 13.3 msec Almost all, “H” is input
19	P.DOWN	I	Power down detection signal input terminal “L”: power down, normally: “H”
20	XINT	I	Interrupt status input from the CXD2654R (IC121)
21	DVOL1	I	JOG dial pulse input from the rotary encoder (S740 DIGITAL REC LEVEL)
22	DVOL0	I	JOG dial pulse input from the rotary encoder (S740 DIGITAL REC LEVEL)
23 to 30	NC	I	Not used (fixed at “L”)
31	SWDT	O	Writing data output to the CXD2654R (IC121) and D/A converter (IC200)
32	SRDT	I	Reading data input from the CXD2654R (IC121)
33	SCLK	O	Serial clock signal output to the CXD2654R (IC121) and D/A converter (IC200)
34	FLCS	O	Chip select signal output to the FL/LED driver (IC771)
35	FLDATA	O	Serial data output to the FL/LED driver (IC771)
36	NC	I	Not used (fixed at “L”)
37	FLCLK	O	Serial data transfer clock signal output to the FL/LED driver (IC771)
38 to 47	NC	I	Not used (fixed at “L”)
48	CSET0	I	Destination setting terminal (US, Canadian models: fixed at “L”, AEP, UK models: fixed at “H”)
49	CSET1	I	Destination setting terminal (US, Canadian models: fixed at “H”, AEP, UK models: fixed at “L”)
50	20/X720	I	Setting terminal of the loading control system select (fixed at “H” in this set)
51	NC	I	Not used (fixed at “L”)
52	MNT2 (XBUSY)	I	Busy signal input from the CXD2654R (IC121)
53	$\overline{\text{DIG-RST}}$	O	Reset signal output to the CXD2654R (IC121) and BH6511FS (IC152) “L”: reset
54	MNT1 (SHOCK)	I	Track jump detection signal input from the CXD2654R (IC121)
55	SENS	I	Internal status (SENSE) input from the CXD2654R (IC121)
56	LDON	O	Laser diode on/off control signal output to the automatic power control circuit “H”: laser on
57	REFLECT	I	Detection input from the disc reflection rate detect switch (S102) “L”: high reflection rate disc, “H”: low reflection rate disc
58	PROTECT	I	Rec-proof claw detect input from the protect detect switch (S102) “H”: write protect

Pin No.	Pin Name	I/O	Function
59	WR-PWR	O	Laser power select signal output to the CXD2654R (IC121) and HF module switch circuit “H”: recording mode, “L”: playback mode
60	MNT3 (SLOCK)	I	Spindle servo lock status monitor signal input from the CXD2654R (IC121)
61	SDA	I/O	Two-way data bus with the EEPROM (IC171)
62	+3.3V	—	Power supply terminal (+3.3V)
63	NC	I	Not used (fixed at “L”)
64	GND	—	Ground terminal
65	SCTX	O	Recording data output enable signal output to the CXD2654R (IC121) and overwrite head driver (IC181) Writing data transmission timing output (Also serves as the magnetic head on/off output)
66	SCL	O	Clock signal output to the EEPROM (IC171)
67	MNT0 (FOK)	I	Focus OK signal input from the CXD2654R (IC121) “H” is input when focus is on (“L”: NG)
68	LIMIT-IN	I	Detection input from the sled limit-in detect switch (S101) The optical pick-up is inner position when “L”
69	MOD	O	Laser modulation select signal output to the HF module switch circuit Playback power: “H”, Stop: “L”, Recording power: 
70	XLATCH	O	Serial data latch pulse signal output to the CXD2654R (IC121)
71	REC/PB	I	Not used (fixed at “L”)
72	TECONT	I	Not used (fixed at “L”)
73	XTSL	I	Not used (fixed at “L”)
74	OPEN	I	Detection input from the tray open detect switch (S10) “L”: tray open
75	PLAY1	I	Detection input from the disc chucking-in detect switch (S11) “L” active
76	REC	I	Detection input from the recording position detect switch (S12) “L” active
77	PLAY2	I	Detection input from the play position detect switch (S13) “L” active
78	LDIN	O	Motor control signal output to the loading motor driver (IC400) “L” active *1
79	LDOUT	O	Motor control signal output to the loading motor driver (IC400) “L” active *1
80	LD-LOW	O	Loading motor drive voltage control signal output for the loading motor driver (IC400) “H” active
81	NC	I	Not used (fixed at “L”)
82	A1OUT	O	Sircs remote control signal output of the S-LINK CONTROL A1
83	MUTE	O	Audio line muting on/off control signal output terminal “L”: line muting on
84	STB	O	Strobe signal output to the power supply circuit “H”: power on, “L”: standby mode

*1 Loading motor (M10) control

Terminal	Mode	LOADING	EJECT	BRAKE	RUN IDLE
	LDIN (pin ⑦⑧)		“L”	“H”	“L”
LDOUT (pin ⑦⑨)		“H”	“L”	“L”	“H”

Pin No.	Pin Name	I/O	Function
85	COAX/XOPT	O	Optical in 1/2 or coaxial in selection signal output to the digital input selector (IC300) “L”: OPT 1/2, “H”: COAXIAL
86	OPT2/XOPT1	O	Optical in 1 or optical in 2 selection signal output to the digital input selector (IC300) “L”: OPT 1, “H”: OPT 2
87	DALATCH	O	Serial data latch pulse signal output to the D/A converter (IC200)
88	$\overline{\text{DARST}}$	O	Reset signal output to the A/D converter (IC100) and D/A converter (IC200) “L”: reset
89	LED0	O	LED drive signal output of the ■ (PAUSE) LED (D754) “L”: LED on
90	LED1	O	LED drive signal output of the ● REC LED (D755) “L”: LED on
91	TIMER	I	TIMER switch (S751) input terminal (A/D input) “L”: PLAY, “H”: REC (OFF: center voltage)
92	SOURCE	I	INPUT switch (S741) input terminal (A/D input)
93	KEY3	I	Key input terminal (A/D input) S731 to S734 (TIME, FADER, FILTER, MEGA CONTROL keys input)
94	KEY2	I	Key input terminal (A/D input) S722 to S726 (PLAY/MODE, REPEAT, SCROLL/CLOCK SET, DISPLAY/CHAR, I/C keys input)
95	KEY1	I	Key input terminal (A/D input) S711 to S714 and S716 (MENU/NO, YES, PUSH ENTER, CLEAR, ≡ OPEN/CLOSE keys input)
96	AVSS	—	Ground terminal
97	KEY0	I	Key input terminal (A/D input) S701 to S706 (● REC, ■, ►►, ◀◀, ■■, ► keys input)
98	VREF	I	Reference voltage (+3.3V) input terminal (for A/D converter)
99	+3.3V	—	Power supply terminal (+3.3V) (for analog system)
100	MONO/ST	I	Recording mode switch input terminal “L”: mono, “H”: stereo Not used (fixed at “H”)

SECTION 7 EXPLODED VIEWS

NOTE:


- -XX and -X mean standardized parts, so they may have some difference from the original one.
- Color Indication of Appearance Parts
Example:
KNOB, BALANCE (WHITE) . . . (RED)
 ↑↑
 Parts Color Cabinet's Color

- Items marked "*" are not stocked since they are seldom required for routine service. Some delay should be anticipated when ordering these items.
- The mechanical parts with no reference number in the exploded views are not supplied.
- Hardware (# mark) list and accessories and packing materials are given in the last of the electrical parts list.

The components identified by mark Δ or dotted line with mark Δ are critical for safety. Replace only with part number specified.


Les composants identifiés par une marque Δ sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié.

(1) CASE SECTION




Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
1	4-969-469-01	CASE (BLACK)		* 4	4-974-014-01	REINFORCEMENT (CASE)	
1	4-969-469-31	CASE (GOLD)		5	4-970-123-01	FOOT (F50180S)	
2	4-210-291-01	SCREW (CASE 3 TP2) (BLACK)		6	4-970-124-01	CUSHION (F50180S)	
2	4-210-291-11	SCREW (CASE 3 TP2) (GOLD)		* 7	4-993-065-01	PLATE, BOTTOM	
* 3	4-615-354-01	SPACER		8	4-929-074-01	SCREW (3X8)	

(2) FRONT PANEL SECTION



Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
51	4-998-734-01	PANEL, FRONT (GOLD) (AEP, UK)		* 62	A-4724-137-A	FL BOARD, COMPLETE (US, Canadian)	
51	4-998-734-11	PANEL, FRONT (BLACK) (AEP, UK)		* 62	A-4724-146-A	FL BOARD, COMPLETE (AEP, UK)	
51	4-998-734-21	PANEL, FRONT (BLACK) (US, Canadian)		* 63	1-669-293-11	ANALOG VOLUME BOARD	
52	4-998-741-01	ESCUTCHEON (MD) (GOLD)		64	X-4949-721-1	BUTTON (PLAY) ASSY (GOLD)	
52	4-998-741-11	ESCUTCHEON (MD) (BLACK)		64	X-4949-730-1	BUTTON (PLAY) ASSY (BLACK)	
53	4-992-539-01	KNOB (VOL) (GOLD)		65	4-998-742-01	KNOB (REC-L) (GOLD)	
53	4-992-539-11	KNOB (VOL)(BLACK)		65	4-998-742-11	KNOB (REC-L) (BLACK)	
54	3-354-981-01	SPRING (SUS), RING		66	4-998-743-01	KNOB (REC-R) (GOLD)	
55	4-942-568-41	EMBLEM (NO.5), SONY (BLACK)		66	4-998-743-11	KNOB (REC-R) (BLACK)	
55	4-942-568-51	EMBLEM (NO.5), SONY (GOLD)		67	4-998-744-01	KNOB (AMS) (GOLD)	
56	4-987-520-01	WINDOW (REMOTE CONTROL) (GOLD)		67	4-998-744-11	KNOB (AMS) (BLACK)	
56	4-987-520-11	WINDOW (REMOTE CONTROL) (BLACK)		68	3-701-428-31	SCREW, +B 2.6 CLAW	
57	4-998-735-01	BASE (L), PANEL (GOLD)		69	4-987-519-01	INDICATOR (D2)	
57	4-998-735-11	BASE (L), PANEL (BLACK)		70	4-998-739-01	PLATE, INDICATION	
58	4-998-737-01	BUTTON (POWER) (GOLD)		71	4-992-540-01	BUTTON (FUNC) (GOLD)	
58	4-998-737-11	BUTTON (POWER) (BLACK)		71	4-992-540-11	BUTTON (FUNC) (BLACK)	
59	4-971-774-01	KNOB (TIMER) (BLACK)		72	4-998-736-01	BASE (R), PANEL (GOLD)	
59	4-971-774-21	KNOB (TIMER) (GOLD)		72	4-998-736-11	BASE (R), PANEL (BLACK)	
60	4-951-620-01	SCREW (2.6X8), +BVTP		73	4-992-542-01	BUTTON (EDIT) (GOLD)	
* 61	A-4724-138-A	PSW BOARD, COMPLETE (US, Canadian)		73	4-992-542-11	BUTTON (EDIT) (BLACK)	
* 61	A-4724-147-A	PSW BOARD, COMPLETE (AEP, UK)		74	1-783-987-11	WIRE (FLAT TYPE) (25 CORE)	


(3) CHASSIS SECTION



<p>The components identified by mark Δ or dotted line with mark Δ are critical for safety. Replace only with part number specified.</p>	<p>Les composants identifiés par une marque Δ sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié.</p>
---	---


Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
* 101	1-669-292-11	HEADPHONE BOARD		* 113	4-998-731-31	PANEL, BACK (Canadian)	
102	4-886-821-11	SCREW, S TIGHT, +PTTWH 3X6		* 114	1-669-454-11	RELEASE BOARD	
* 103	1-669-294-11	AC BOARD		115	1-783-986-11	WIRE (FLAT TYPE) (27 CORE) (BENDED)	
* 104	4-993-066-01	BRACKET (CASE)		* 116	A-4724-134-A	POWER BOARD, COMPLETE (US, Canadian)	
105	4-998-740-01	PANEL, LOADING (GOLD)		* 116	A-4724-143-A	POWER BOARD, COMPLETE (AEP, UK)	
105	4-998-740-11	PANEL, LOADING (BLACK)		* 117	A-4724-133-A	DIGITAL BOARD, COMPLETE (US, Canadian)	
106	1-783-988-11	WIRE (FLAT TYPE) (23 CORE)		* 117	A-4724-142-A	DIGITAL BOARD, COMPLETE (AEP, UK)	
107	1-783-985-11	WIRE (FLAT TYPE) (27 CORE) (NOT BENDED)		* 118	A-4724-135-A	AU BOARD, COMPLETE (US, Canadian)	
108	1-783-989-11	WIRE (FLAT TYPE) (11 CORE)		* 118	A-4724-144-A	AU BOARD, COMPLETE (AEP, UK)	
* 109	4-923-873-01	BRACKET, CORD STOPPER		119	1-783-984-11	WIRE (FLAT TYPE) (21 CORE)	
110	3-703-244-00	BUSHING (2104), CORD		120	4-929-074-01	SCREW (3X8)	
Δ 111	1-558-568-21	CORD, POWER (AEP)		121	3-946-435-11	SCREW (M2.6) (GOLD)	
Δ 111	1-559-583-21	CORD, POWER (US, Canadian)		121	3-946-435-21	SCREW (M2.6) (BLACK)	
Δ 111	1-696-586-11	CORD, POWER (UK)		122	3-831-441-99	CLOTH (6)	
112	3-704-515-21	SCREW (BV/RING)		123	4-974-510-01	SCREW (+BV 3X8 B)	
* 113	4-998-731-11	PANEL, BACK (AEP, UK)		Δ T700	1-431-880-11	TRANSFORMER, POWER (AEP, UK)	
* 113	4-998-731-21	PANEL, BACK (US)		Δ T700	1-431-881-11	TRANSFORMER, POWER (US, Canadian)	

**(4) MD MECHANISM SECTION-1
(MDM-6A)**




Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
* 151	4-999-519-01	BRACKET (TRAY)		157	4-999-535-01	SHAFT	
* 152	4-987-267-01	TABLE (EJECT)		158	4-987-271-01	STOPPER (SHAFT B)	
153	4-999-509-01	TRAY		159	X-4949-787-1	SLIDER (D) ASSY	
154	4-999-528-01	RACK (L)		160	4-999-512-01	GUIDE (SHAFT)	
155	4-999-544-01	GEAR (TOP)		161	4-999-529-01	RACK (R)	
* 156	4-999-532-01	BRACKET (TOP)		* 162	1-669-050-11	OUT SWITCH BOARD	

(5) MD MECHANISM SECTION-2
(MDM-6A)



Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
201	4-999-541-01	COLLAR (DAMPER)		* 214	X-4949-788-1	BRACKET (MOTOR) ASSY	
202	4-999-539-01	SPRING, COMPRESSION		215	X-4949-786-1	SLIDER ASSY	
203	4-999-540-01	INSULATOR (MD)		216	4-999-527-01	CHASSIS, MECHANICAL	
* 204	1-669-051-11	POSITION SWITCH BOARD		217	X-4949-790-1	LEVER (LOCK) ASSY	
* 205	1-669-049-11	MOTOR BOARD		218	X-4949-789-1	HOLDER ASSY	
206	4-999-513-01	GEAR, PULLEY		219	4-933-134-41	SCREW (+PTPWH 2.6X5)	
207	4-999-537-01	BELT (LOADING)		220	4-999-533-01	SPRING (UDL), LEAF	
208	4-968-919-31	WASHER, STOPPER		221	4-999-524-01	SPRING (OWH), TORSION	
209	4-999-514-01	GEAR		222	4-999-511-01	LEVER (OWH)	
210	4-999-515-01	GEAR (A), PLANET		223	4-999-534-01	SPRING (UDR), LEAF	
211	4-999-518-01	GEAR (D), PLANET		224	4-999-510-01	HOLDER, BU	
212	4-999-517-01	GEAR (C), PLANET		M103	X-4949-791-1	MTOR (LOADING) ASSY	
213	4-999-516-01	GEAR (B), PLANET					

(6) BASE UNIT SECITON
(MBU-5C)



<p>The components identified by mark \triangle or dotted line with mark \triangle are critical for safety. Replace only with part number specified.</p>	<p>Les composants identifiés par une marque \triangle sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié.</p>
---	--

Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
251	1-667-954-11	FLEXIBLE BOARD		* 263	4-996-253-01	BASE (BU-A)	
* 252	4-996-255-01	BASE (BU-C)		264	4-996-258-01	SPRING, COMPRESSION	
* 253	4-996-267-01	BASE (BU-D)		265	4-996-257-01	RACK (SL)	
* 254	4-996-252-01	CHASSIS, BU		266	4-996-256-01	SL (BASE)	
255	4-996-260-01	GEAR (SL-A)		267	4-900-590-01	SCREW, PRECISION SMALL	
256	4-996-261-01	GEAR (SL-B)		268	4-996-262-01	GEAR (SL-C)	
257	4-996-264-01	SPRING (SHAFT), LEAF		* 269	A-4724-285-A	BD BOARD, COMPLETE	
* 258	4-996-254-01	BASE (BU-B)		270	3-372-761-01	SCREW (M1.7), TAPPING	
\triangle 259	8-583-028-02	OPTICAL PICK-UP KMS-260A/J1N		M101	A-4672-475-A	MOTOR ASSY, SPINDLE	
260	4-988-560-01	SCREW (+P 1.7X6)		M102	A-4672-474-A	MOTOR ASSY, SLED	
261	1-500-565-11	HEAD, OVER LIGHT		S102	1-762-148-21	SWITCH, PUSH (2 KEY)	
262	4-996-265-01	SHAFT, MAIN					

SECTION 8 ELECTRICAL PARTS LIST

AC

AU

ANALOG VOLUME

NOTE:

- Due to standardization, replacements in the parts list may be different from the parts specified in the diagrams or the components used on the set.
- -XX and -X mean standardized parts, so they may have some difference from the original one.
- RESISTORS
All resistors are in ohms.
METAL: Metal-film resistor.
METAL OXIDE: Metal oxide-film resistor.
F: nonflammable

- Items marked "*" are not stocked since they are seldom required for routine service. Some delay should be anticipated when ordering these items.
- SEMICONDUCTORS
In each case, u: μ , for example:
uA. . . : μ A. . . uPA. . . : μ PA. . .
uPB. . . : μ PB. . . uPC. . . : μ PC. . .
uPD. . . : μ PD. . .
- CAPACITORS
uF: μ F
- COILS
uH: μ H

The components identified by mark Δ or dotted line with mark Δ are critical for safety. Replace only with part number specified.

Les composants identifiés par une marque Δ sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié.

When indicating parts by reference number, please include the board.

Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
*	1-669-294-11	AC BOARD *****		*	A-4724-135-A	AU BOARD, COMPLETE (US, Canadian)	
		< CAPACITOR >		*	A-4724-144-A	AU BOARD, COMPLETE (AEP, UK) *****	
Δ C720	1-113-920-11	CERAMIC	0.0022uF 20% 250V			< CAPACITOR >	
Δ C721	1-113-920-11	CERAMIC	0.0022uF 20% 250V	C100	1-164-159-11	CERAMIC	0.1uF 50V
Δ C722	1-113-920-11	CERAMIC	0.0022uF 20% 250V	C101	1-126-933-11	ELECT	100uF 20% 16V
Δ C723	1-113-920-11	CERAMIC	0.0022uF 20% 250V	C103	1-164-159-11	CERAMIC	0.1uF 50V
Δ C724	1-113-925-11	CERAMIC	0.01uF 20% 250V	C104	1-124-994-11	ELECT	100uF 20% 10V
Δ C725	1-113-925-11	CERAMIC	0.01uF 20% 250V	C105	1-124-995-11	ELECT	220uF 20% 10V
		< CONNECTOR >		C106	1-164-159-11	CERAMIC	0.1uF 50V
CN702	1-580-230-11	PIN, CONNECTOR (PC BOARD) 2P		C107	1-130-475-00	MYLAR	0.0022uF 5% 50V
CN705	1-564-321-11	PIN, CONNECTOR 2P		C108	1-130-475-00	MYLAR	0.0022uF 5% 50V
		< GROUND PLATE >		C109	1-162-286-31	CERAMIC	220PF 10% 50V
* EP701	4-870-539-00	PLATE, GROUND		C110	1-126-049-11	ELECT	22uF 20% 25V
		< LINE FILTER >		C111	1-162-286-31	CERAMIC	220PF 10% 50V
Δ LF700	1-424-485-11	FILTER, LINE *****		C112	1-126-049-11	ELECT	22uF 20% 25V
		< GROUND PLATE >		C113	1-162-203-31	CERAMIC	15PF 5% 50V
* 1-669-293-11	ANALOG VOLUME BOARD *****			C114	1-162-203-31	CERAMIC	15PF 5% 50V
		< CONNECTOR >		C115	1-164-159-11	CERAMIC	0.1uF 50V
* CN760	1-564-522-11	PLUG, CONNECTOR 7P		C116	1-164-159-11	CERAMIC	0.1uF 50V
		< RESISTOR >		C117	1-126-049-11	ELECT	22uF 20% 25V
R765	1-249-462-11	CARBON	22K 5% 1/4W	C118	1-126-049-11	ELECT	22uF 20% 25V
R766	1-249-462-11	CARBON	22K 5% 1/4W	C119	1-126-049-11	ELECT	22uF 20% 25V
		< VARIABLE RESISTOR >		C120	1-164-159-11	CERAMIC	0.1uF 50V
RV760	1-225-646-11	RES, VAR 20K/20K (ANALOG REC LEVEL) *****		C121	1-164-159-11	CERAMIC	0.1uF 50V
		< GROUND PLATE >		C122	1-126-024-11	ELECT	220uF 20% 25V
		< GROUND PLATE >		C123	1-164-159-11	CERAMIC	0.1uF 50V
		< GROUND PLATE >		C124	1-126-022-11	ELECT	47uF 20% 25V
		< GROUND PLATE >		C125	1-126-023-11	ELECT	100uF 20% 25V
		< GROUND PLATE >		C126	1-126-023-11	ELECT	100uF 20% 25V
		< GROUND PLATE >		C128	1-126-023-11	ELECT	100uF 20% 25V
		< GROUND PLATE >		C129	1-126-023-11	ELECT	100uF 20% 25V
		< GROUND PLATE >		C130	1-110-335-11	MYLAR	100PF 5% 50V
		< GROUND PLATE >		C131	1-110-335-11	MYLAR	100PF 5% 50V
		< GROUND PLATE >		C132	1-126-022-11	ELECT	47uF 20% 25V
		< GROUND PLATE >		C134	1-164-159-11	CERAMIC	0.1uF 50V
		< GROUND PLATE >		C135	1-164-159-11	CERAMIC	0.1uF 50V
		< GROUND PLATE >		C137	1-126-020-81	ELECT	22uF 20% 50V
		< GROUND PLATE >		C138	1-126-020-81	ELECT	22uF 20% 50V
		< GROUND PLATE >		C139	1-162-294-31	CERAMIC	0.001uF 10% 50V
		< GROUND PLATE >		C140	1-162-199-31	CERAMIC	10PF 5% 50V

Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
D805	8-719-210-21	DIODE 11EQS04		R118	1-259-444-11	CARBON 4.7K 5%	1/6W
D806	8-719-200-82	DIODE 11ES2		R119	1-247-887-00	CARBON 220K 5%	1/4W
		< GROUND PLATE >		R120	1-247-887-00	CARBON 220K 5%	1/4W
* EP200	4-870-539-00	PLATE, GROUND		R121	1-247-807-31	CARBON 100 5%	1/4W
		< IC >		R122	1-247-807-31	CARBON 100 5%	1/4W
IC100	8-759-426-99	IC CXD8607N-T6		R123	1-249-923-11	CARBON 1K 5%	1/4W
IC101	8-759-352-59	IC CXA8054M		R124	1-247-807-31	CARBON 100 5%	1/4W
IC102	8-759-390-42	IC uPC24M05AHF		R125	1-247-807-31	CARBON 100 5%	1/4W
IC103	8-759-712-02	IC NJM2114D		R126	1-249-923-11	CARBON 1K 5%	1/4W
IC200	8-759-498-20	IC CXD8735N-TP		R200	1-249-413-11	CARBON 470 5%	1/4W
IC203	8-759-371-51	IC CXA8042AS		R201	1-249-413-11	CARBON 470 5%	1/4W
IC204	8-759-371-51	IC CXA8042AS		R202	1-249-413-11	CARBON 470 5%	1/4W
IC205	8-759-390-42	IC uPC24M05AHF		R203	1-259-396-11	CARBON 47 5%	1/6W
IC241	8-759-712-02	IC NJM2114D		R204	1-259-396-11	CARBON 47 5%	1/6W
IC242	8-759-712-02	IC NJM2114D		R205	1-247-807-31	CARBON 100 5%	1/4W
IC243	8-759-712-02	IC NJM2114D		R206	1-247-807-31	CARBON 100 5%	1/4W
IC244	8-759-712-02	IC NJM2114D		R207	1-247-807-31	CARBON 100 5%	1/4W
IC800	8-759-539-14	IC M30610MCA-260FP		R208	1-247-807-31	CARBON 100 5%	1/4W
IC801	8-759-242-70	IC TC7WU04F		R209	1-247-807-31	CARBON 100 5%	1/4W
		< JACK >		R210	1-247-807-31	CARBON 100 5%	1/4W
J100	1-784-430-11	JACK, PIN 4P (LINE (ANALOG) OUT, LINE (ANALOG) IN)		R211	1-259-416-11	CARBON 330 5%	1/6W
		< COIL >		R212	1-259-416-11	CARBON 330 5%	1/6W
L100	1-408-405-00	INDUCTOR 4.7uH		R213	1-259-416-11	CARBON 330 5%	1/6W
L101	1-408-405-00	INDUCTOR 4.7uH		R214	1-259-416-11	CARBON 330 5%	1/6W
L102	1-408-405-00	INDUCTOR 4.7uH		R215	1-259-416-11	CARBON 330 5%	1/6W
L200	1-408-405-00	INDUCTOR 4.7uH		R216	1-259-416-11	CARBON 330 5%	1/6W
L201	1-408-405-00	INDUCTOR 4.7uH		R217	1-259-416-11	CARBON 330 5%	1/6W
L202	1-408-405-00	INDUCTOR 4.7uH		R218	1-259-416-11	CARBON 330 5%	1/6W
L203	1-408-405-00	INDUCTOR 4.7uH		R219	1-259-452-11	CARBON 10K 5%	1/6W
L204	1-408-405-00	INDUCTOR 4.7uH		R220	1-259-380-11	CARBON 10 5%	1/6W
L205	1-408-405-00	INDUCTOR 4.7uH		R221	1-259-380-11	CARBON 10 5%	1/6W
L206	1-412-473-31	INDUCTOR 0uH		R222	1-259-380-11	CARBON 10 5%	1/6W
		< RESISTOR >		R223	1-259-380-11	CARBON 10 5%	1/6W
R100	1-259-396-11	CARBON 47 5%	1/6W	R224	1-259-436-11	CARBON 2.2K 5%	1/6W
R101	1-259-396-11	CARBON 47 5%	1/6W	R225	1-259-436-11	CARBON 2.2K 5%	1/6W
R102	1-259-396-11	CARBON 47 5%	1/6W	R226	1-259-416-11	CARBON 330 5%	1/6W
R103	1-259-404-11	CARBON 100 5%	1/6W	R227	1-259-412-11	CARBON 220 5%	1/6W
R104	1-259-404-11	CARBON 100 5%	1/6W	R228	1-259-416-11	CARBON 330 5%	1/6W
R105	1-259-404-11	CARBON 100 5%	1/6W	R229	1-259-412-11	CARBON 220 5%	1/6W
R106	1-259-404-11	CARBON 100 5%	1/6W	R230	1-259-380-11	CARBON 10 5%	1/6W
R107	1-259-476-11	CARBON 100K 5%	1/6W	R231	1-259-380-11	CARBON 10 5%	1/6W
R108	1-259-476-11	CARBON 100K 5%	1/6W	R232	1-259-380-11	CARBON 10 5%	1/6W
R109	1-259-460-11	CARBON 22K 5%	1/6W	R233	1-259-380-11	CARBON 10 5%	1/6W
R110	1-259-460-11	CARBON 22K 5%	1/6W	R234	1-259-390-11	CARBON 27 5%	1/6W
R111	1-249-995-11	CARBON 1M 5%	1/4W	R235	1-259-390-11	CARBON 27 5%	1/6W
R112	1-249-995-11	CARBON 1M 5%	1/4W	R236	1-259-390-11	CARBON 27 5%	1/6W
R113	1-249-995-11	CARBON 1M 5%	1/4W	R237	1-259-390-11	CARBON 27 5%	1/6W
R114	1-249-995-11	CARBON 1M 5%	1/4W	R238	1-259-418-11	CARBON 390 5%	1/6W
R115	1-249-528-91	CARBON 100 5%	1/4W	R239	1-259-418-11	CARBON 390 5%	1/6W
R116	1-249-528-91	CARBON 100 5%	1/4W	R240	1-259-418-11	CARBON 390 5%	1/6W
R117	1-259-445-11	CARBON 5.1K 5%	1/6W	R241	1-259-418-11	CARBON 390 5%	1/6W
				R242	1-259-452-11	CARBON 10K 5%	1/6W
				R243	1-259-452-11	CARBON 10K 5%	1/6W
				R244	1-259-452-11	CARBON 10K 5%	1/6W
				R245	1-259-452-11	CARBON 10K 5%	1/6W
				R246	1-259-452-11	CARBON 10K 5%	1/6W
				R247	1-259-452-11	CARBON 10K 5%	1/6W

Ref. No.	Part No.	Description		Remark	Ref. No.	Part No.	Description		Remark
R248	1-259-452-11	CARBON	10K	5%	1/6W				
R249	1-259-452-11	CARBON	10K	5%	1/6W	R855	1-249-429-11	CARBON	10K 5% 1/4W
R250	1-259-428-11	CARBON	1K	5%	1/6W	R856	1-247-807-31	CARBON	100 5% 1/4W
R251	1-259-428-11	CARBON	1K	5%	1/6W	R857	1-249-807-81	CARBON	100 5% 1/4W
R252	1-259-428-11	CARBON	1K	5%	1/6W	R858	1-249-807-81	CARBON	100 5% 1/4W
						R859	1-249-417-11	CARBON	1K 5% 1/4W
R253	1-259-428-11	CARBON	1K	5%	1/6W				
R254	1-249-520-11	CARBON	47	5%	1/4W	R860	1-249-417-11	CARBON	1K 5% 1/4W
R255	1-249-520-11	CARBON	47	5%	1/4W			< RELAY >	
R256	1-249-520-11	CARBON	47	5%	1/4W				
R258	1-249-520-11	CARBON	47	5%	1/4W	RY200	1-755-188-11	RELAY	
								< VIBRATOR >	
R267	1-249-469-11	CARBON	100K	5%	1/4W				
R268	1-249-469-11	CARBON	100K	5%	1/4W				
R800	1-249-429-11	CARBON	10K	5%	1/4W	X200	1-579-161-11	VIBRATOR, CRYSTAL (45MHz)	
R801	1-249-429-11	CARBON	10K	5%	1/4W	X800	1-767-778-21	VIBRATOR, CERAMIC (7MHz)	
R802	1-249-429-11	CARBON	10K	5%	1/4W	X801	1-567-098-41	VIBRATOR, CRYSTAL (32.768kHz)	

R803	1-249-429-11	CARBON	10K	5%	1/4W (AEP, UK)				
R804	1-249-429-11	CARBON	10K	5%	1/4W (US, Canadian)	*	A-4724-285-A	BD BOARD, COMPLETE	*****
R806	1-249-429-11	CARBON	10K	5%	1/4W (US, Canadian)			< CAPACITOR >	
R807	1-249-429-11	CARBON	10K	5%	1/4W (AEP, UK)	C101	1-125-822-11	TANTALUM	10uF 20% 10V
R808	1-249-429-11	CARBON	10K	5%	1/4W	C102	1-163-038-00	CERAMIC CHIP	0.1uF 25V
						C103	1-125-822-11	TANTALUM	10uF 20% 10V
R809	1-249-441-11	CARBON	100K	5%	1/4W	C104	1-125-822-11	TANTALUM	10uF 20% 10V
R810	1-249-441-11	CARBON	100K	5%	1/4W	C105	1-163-021-00	CERAMIC CHIP	0.01uF 10% 50V
R811	1-249-429-11	CARBON	10K	5%	1/4W				
R812	1-249-429-11	CARBON	10K	5%	1/4W	C106	1-163-275-11	CERAMIC CHIP	0.001uF 5% 50V
R813	1-249-429-11	CARBON	10K	5%	1/4W	C107	1-163-038-00	CERAMIC CHIP	0.1uF 25V
						C108	1-163-038-00	CERAMIC CHIP	0.1uF 25V
R814	1-249-429-11	CARBON	10K	5%	1/4W	C109	1-163-037-11	CERAMIC CHIP	0.022uF 10% 25V
R815	1-249-429-11	CARBON	10K	5%	1/4W	C111	1-164-344-11	CERAMIC CHIP	0.068uF 10% 25V
R816	1-249-429-11	CARBON	10K	5%	1/4W				
R819	1-247-891-00	CARBON	330K	5%	1/4W	C112	1-163-017-00	CERAMIC CHIP	0.0047uF 5% 50V
R820	1-249-429-11	CARBON	10K	5%	1/4W	C113	1-109-982-11	CERAMIC CHIP	1uF 10% 10V
						C115	1-164-489-11	CERAMIC CHIP	0.22uF 10% 16V
R822	1-249-429-11	CARBON	10K	5%	1/4W	C116	1-163-037-11	CERAMIC CHIP	0.022uF 10% 25V
R823	1-249-441-11	CARBON	100K	5%	1/4W	C117	1-163-809-11	CERAMIC CHIP	0.047uF 10% 25V
R824	1-249-441-11	CARBON	100K	5%	1/4W				
R826	1-249-429-11	CARBON	10K	5%	1/4W	C118	1-163-038-00	CERAMIC CHIP	0.1uF 25V
R827	1-249-429-11	CARBON	10K	5%	1/4W	C119	1-125-822-11	TANTALUM	10uF 20% 10V
						C121	1-125-822-11	TANTALUM	10uF 20% 10V
R829	1-249-429-11	CARBON	10K	5%	1/4W	C122	1-163-021-00	CERAMIC CHIP	0.01uF 10% 50V
R830	1-249-429-11	CARBON	10K	5%	1/4W	C123	1-163-038-00	CERAMIC CHIP	0.1uF 25V
R832	1-249-429-11	CARBON	10K	5%	1/4W				
R833	1-249-429-11	CARBON	10K	5%	1/4W	C124	1-163-038-00	CERAMIC CHIP	0.1uF 25V
R834	1-247-807-31	CARBON	100	5%	1/4W	C127	1-163-038-00	CERAMIC CHIP	0.1uF 25V
						C128	1-163-021-00	CERAMIC CHIP	0.01uF 10% 50V
R835	1-247-807-31	CARBON	100	5%	1/4W	C129	1-107-823-11	CERAMIC CHIP	0.47uF 10% 16V
R836	1-249-429-11	CARBON	10K	5%	1/4W	C130	1-163-251-11	CERAMIC CHIP	100PF 5% 50V
R837	1-249-429-11	CARBON	10K	5%	1/4W				
R838	1-249-438-11	CARBON	56K	5%	1/4W	C131	1-163-023-00	CERAMIC CHIP	0.015uF 5% 50V
R839	1-249-417-11	CARBON	1K	5%	1/4W	C132	1-107-823-11	CERAMIC CHIP	0.47uF 10% 16V
						C133	1-164-161-11	CERAMIC CHIP	0.0022uF 10% 100V
R840	1-249-429-11	CARBON	10K	5%	1/4W	C134	1-163-038-00	CERAMIC CHIP	0.1uF 25V
R841	1-249-429-11	CARBON	10K	5%	1/4W	C135	1-163-038-00	CERAMIC CHIP	0.1uF 25V
R842	1-249-429-11	CARBON	10K	5%	1/4W				
R843	1-249-429-11	CARBON	10K	5%	1/4W	C136	1-126-206-11	ELECT CHIP	100uF 20% 6.3V
R844	1-249-429-11	CARBON	10K	5%	1/4W	C142	1-163-251-11	CERAMIC CHIP	100PF 5% 50V
						C143	1-163-251-11	CERAMIC CHIP	100PF 5% 50V
R845	1-249-429-11	CARBON	10K	5%	1/4W	C144	1-163-251-11	CERAMIC CHIP	100PF 5% 50V
R846	1-249-429-11	CARBON	10K	5%	1/4W	C146	1-163-038-00	CERAMIC CHIP	0.1uF 25V
R847	1-249-429-11	CARBON	10K	5%	1/4W				
R848	1-249-429-11	CARBON	10K	5%	1/4W	C151	1-126-206-11	ELECT CHIP	100uF 20% 6.3V
R854	1-249-429-11	CARBON	10K	5%	1/4W	C152	1-163-038-00	CERAMIC CHIP	0.1uF 25V

Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
C153	1-163-021-00	CERAMIC CHIP	0.01uF 10% 50V	L161	1-414-813-11	FERRITE	0uH
C156	1-163-038-00	CERAMIC CHIP	0.1uF 25V	L162	1-414-813-11	FERRITE	0uH
C158	1-163-019-00	CERAMIC CHIP	0.0068uF 10% 50V	L181	1-216-295-00	SHORT	0
C160	1-104-601-11	ELECT CHIP	10uF 20% 10V	< TRANSISTOR >			
C161	1-104-601-11	ELECT CHIP	10uF 20% 10V	Q101	8-729-403-35	TRANSISTOR	UN5113
C163	1-163-021-00	CERAMIC CHIP	0.01uF 10% 50V	Q102	8-729-026-53	TRANSISTOR	2SA1576A-T106-QR
C164	1-163-021-00	CERAMIC CHIP	0.01uF 10% 50V	Q103	8-729-402-93	TRANSISTOR	UN5214-TX
C167	1-163-038-00	CERAMIC CHIP	0.1uF 25V	Q104	8-729-402-93	TRANSISTOR	UN5214-TX
C168	1-163-038-00	CERAMIC CHIP	0.1uF 25V	Q162	8-729-101-07	TRANSISTOR	2SB798-DL
C169	1-125-822-11	TANTALUM	10uF 20% 10V	Q163	8-729-403-35	TRANSISTOR	UN5113
C171	1-163-038-00	CERAMIC CHIP	0.1uF 25V	Q181	8-729-018-75	TRANSISTOR	2SJ278MY
C181	1-104-913-11	TANTAL. CHIP	10uF 20% 16V	Q182	8-729-017-65	TRANSISTOR	2SK1764KY
C183	1-163-038-00	CERAMIC CHIP	0.1uF 25V	< RESISTOR >			
C184	1-117-970-11	ELECT CHIP	22uF 20% 10V	R103	1-216-049-11	RES,CHIP	1K 5% 1/10W
C185	1-164-611-11	CERAMIC CHIP	0.001uF 10% 500V	R104	1-216-073-00	METAL CHIP	10K 5% 1/10W
C187	1-104-913-11	TANTAL. CHIP	10uF 20% 16V	R105	1-216-065-00	RES,CHIP	4.7K 5% 1/10W
C188	1-163-021-00	CERAMIC CHIP	0.01uF 10% 50V	R106	1-216-133-00	METAL CHIP	3.3M 5% 1/10W
C189	1-163-989-11	CERAMIC CHIP	0.033uF 10% 25V	R107	1-216-113-00	METAL CHIP	470K 5% 1/10W
C190	1-126-206-11	ELECT CHIP	100uF 20% 6.3V	R109	1-216-295-00	SHORT	0
C191	1-163-038-00	CERAMIC CHIP	0.1uF 25V	R110	1-216-073-00	METAL CHIP	10K 5% 1/10W
C196	1-163-038-00	CERAMIC CHIP	0.1uF 25V	R111	1-216-295-00	SHORT	0
C197	1-163-038-00	CERAMIC CHIP	0.1uF 25V	R112	1-216-089-00	RES,CHIP	47K 5% 1/10W
< CONNECTOR >				R113	1-216-049-11	RES,CHIP	1K 5% 1/10W
CN101	1-569-479-21	CONNECTOR, FPC 21P		R115	1-216-049-11	RES,CHIP	1K 5% 1/10W
CN102	1-784-835-21	CONNECTOR (SMD) 27P		R117	1-216-113-00	METAL CHIP	470K 5% 1/10W
CN103	1-784-834-21	CONNECTOR (SMD) 23P		R120	1-216-025-00	RES,CHIP	100 5% 1/10W
CN104	1-770-687-11	CONNECTOR, FFC/FPC 4P		R121	1-216-097-00	RES,CHIP	100K 5% 1/10W
CN110	1-695-440-21	PIN, CONNECTOR (PC BOARD) 6P		R123	1-216-295-00	SHORT	0
< DIODE >				R124	1-216-025-00	RES,CHIP	100 5% 1/10W
D101	8-719-988-62	DIODE 1SS355		R125	1-216-295-00	SHORT	0
D181	8-719-046-86	DIODE F1J6TP		R127	1-216-025-00	RES,CHIP	100 5% 1/10W
D183	8-719-046-86	DIODE F1J6TP		R129	1-216-295-00	SHORT	0
< IC/TRANSISTOR >				R131	1-216-073-00	METAL CHIP	10K 5% 1/10W
IC101	8-752-080-95	IC CXA2523AR		R132	1-216-097-00	RES,CHIP	100K 5% 1/10W
IC103	8-729-903-10	TRANSISTOR FMW1		R133	1-216-117-00	METAL CHIP	680K 5% 1/10W
IC121	8-752-390-16	IC CXD2656R		R134	1-216-049-11	RES,CHIP	1K 5% 1/10W
IC123	8-759-096-87	IC TC7WU04FU (TE12R)		R135	1-216-061-00	METAL CHIP	3.3K 5% 1/10W
IC124	8-759-334-38	IC MSM51V4400-70TS-K		R136	1-216-049-11	RES,CHIP	1K 5% 1/10W
IC152	8-759-430-25	IC BH6511FS-E2		R137	1-216-295-00	SHORT	0
IC171	8-759-487-04	IC BR24C02F-E2		R140	1-216-029-00	METAL CHIP	150 5% 1/10W
IC181	8-759-481-17	IC MC74ACT08DTR2		R142	1-216-073-00	METAL CHIP	10K 5% 1/10W
IC192	8-759-460-72	IC BA033FP-E2		R143	1-216-073-00	METAL CHIP	10K 5% 1/10W
< COIL >				R144	1-216-295-00	SHORT	0
L101	1-414-813-11	FERRITE	0uH	R145	1-216-073-00	METAL CHIP	10K 5% 1/10W
L102	1-414-813-11	FERRITE	0uH	R146	1-216-037-00	METAL CHIP	330 5% 1/10W
L103	1-414-813-11	FERRITE	0uH	R147	1-216-025-00	RES,CHIP	100 5% 1/10W
L105	1-414-813-11	FERRITE	0uH	R148	1-216-045-00	METAL CHIP	680 5% 1/10W
L106	1-414-813-11	FERRITE	0uH	R149	1-216-073-00	METAL CHIP	10K 5% 1/10W
L121	1-414-813-11	FERRITE	0uH	R150	1-216-295-00	SHORT	0
L122	1-414-813-11	FERRITE	0uH	R151	1-216-073-00	METAL CHIP	10K 5% 1/10W
L151	1-412-029-11	INDUCTOR CHIP	10uH	R152	1-216-073-00	METAL CHIP	10K 5% 1/10W
L152	1-412-029-11	INDUCTOR CHIP	10uH	R158	1-216-097-00	RES,CHIP	100K 5% 1/10W
L153	1-412-032-11	INDUCTOR CHIP	100uH	R159	1-216-097-00	RES,CHIP	100K 5% 1/10W
L154	1-412-032-11	INDUCTOR CHIP	100uH	R160	1-216-295-00	SHORT	0
				R161	1-216-057-00	METAL CHIP	2.2K 5% 1/10W
				R162	1-216-057-00	METAL CHIP	2.2K 5% 1/10W

BD **DIGITAL**

Ref. No.	Part No.	Description	Remark
R163	1-216-057-00	METAL CHIP	2.2K 5% 1/10W
R164	1-216-045-00	METAL CHIP	680 5% 1/10W
R165	1-216-097-00	RES,CHIP	100K 5% 1/10W
R166	1-220-149-11	REGISTER	2.2 10% 1/2W
R167	1-216-065-00	RES,CHIP	4.7K 5% 1/10W
R169	1-219-724-11	METAL CHIP	1 1% 1/4W
R170	1-216-073-00	METAL CHIP	10K 5% 1/10W
R171	1-216-073-00	METAL CHIP	10K 5% 1/10W
R173	1-216-121-00	RES,CHIP	1M 5% 1/10W
R175	1-216-065-00	RES,CHIP	4.7K 5% 1/10W
R177	1-216-061-00	METAL CHIP	3.3K 5% 1/10W
R179	1-216-085-00	METAL CHIP	33K 5% 1/10W
R180	1-216-073-00	METAL CHIP	10K 5% 1/10W
R182	1-216-089-00	RES,CHIP	47K 5% 1/10W
R183	1-216-089-00	RES,CHIP	47K 5% 1/10W
R184	1-216-073-00	METAL CHIP	10K 5% 1/10W
R185	1-216-081-00	METAL CHIP	22K 5% 1/10W
R186	1-216-089-00	RES,CHIP	47K 5% 1/10W
R188	1-216-073-00	METAL CHIP	10K 5% 1/10W
R189	1-216-073-00	METAL CHIP	10K 5% 1/10W
R190	1-216-073-00	METAL CHIP	10K 5% 1/10W
R195	1-216-073-00	METAL CHIP	10K 5% 1/10W
R196	1-216-295-00	SHORT	0
R197	1-216-295-00	SHORT	0
< SWITCH >			
S101	1-762-596-21	SWITCH, PUSH (1 KEY)(LIMIT IN)	
S102	1-762-148-21	SWITCH, PUSH (2 KEY) (REFLECT/PROTECT DETECT)	

* A-4724-133-A DIGITAL BOARD, COMPLETE (US, Canadian)
 * A-4724-142-A DIGITAL BOARD, COMPLETE (AEP, UK)

< CAPACITOR >

C300	1-162-294-31	CERAMIC	0.001uF 10% 50V
C301	1-164-159-11	CERAMIC	0.1uF 50V
C302	1-126-933-11	ELECT	100uF 20% 16V
C303	1-162-294-31	CERAMIC	0.001uF 10% 50V
C304	1-164-159-11	CERAMIC	0.1uF 50V
C305	1-126-933-11	ELECT	100uF 20% 16V
C306	1-126-933-11	ELECT	100uF 20% 16V
C307	1-126-933-11	ELECT	100uF 20% 16V
C308	1-126-933-11	ELECT	100uF 20% 16V
C309	1-136-165-00	FILM	0.1uF 5% 50V
C310	1-136-165-00	FILM	0.1uF 5% 50V
C311	1-136-165-00	FILM	0.1uF 5% 50V
C312	1-164-159-11	CERAMIC	0.1uF 50V
C313	1-164-159-11	CERAMIC	0.1uF 50V
C314	1-164-159-11	CERAMIC	0.1uF 50V
C315	1-104-646-11	CERAMIC	2.2uF 20% 50V
C316	1-104-646-11	CERAMIC	2.2uF 20% 50V
C317	1-162-282-31	CERAMIC	100PF 10% 50V
C318	1-136-177-00	FILM	1uF 5% 50V
C319	1-164-159-11	CERAMIC	0.1uF 50V
C320	1-115-566-11	CERAMIC CHIP	4.7uF 10% 10V
C821	1-164-159-11	CERAMIC	0.1uF 50V

Ref. No.	Part No.	Description	Remark
C822	1-104-646-11	CERAMIC	2.2uF 20% 50V
C823	1-164-159-11	CERAMIC	0.1uF 50V
C826	1-164-159-11	CERAMIC	0.1uF 50V
C832	1-164-159-11	CERAMIC	0.1uF 50V
C833	1-164-159-11	CERAMIC	0.1uF 50V
C834	1-164-159-11	CERAMIC	0.1uF 50V
< CONNECTOR >			
CN300	1-784-335-11	CONNECTOR (FFC) 21P	
CN402	1-784-339-11	CONNECTOR (FFC) 27P	
CN707	1-774-758-11	CONNECTOR, FFC/FPC 11P	
< DIODE >			
D800	8-719-911-19	DIODE 1SS119	
< IC >			
IC300	8-759-926-17	IC SN74HC153ANS	
IC301	8-759-269-92	IC SN74HCU04ANS-E20	
IC302	8-749-012-70	IC GP1F38R (OPT2 (DIGIT AL IN))	
IC303	8-749-012-70	IC GP1F38R (OPT1 (DIGIT AL IN))	
IC304	8-749-012-69	IC GP1F38T (OPTICAL (DIGIT AL OUT))	
IC305	8-759-242-70	IC TC7WU04F	
< JACK >			
J300	1-784-432-11	JACK, PIN 1P (COAXIAL (DIGIT AL IN))	
J301	1-784-689-11	JACK, PIN 1P (COAXIAL (DIGIT AL OUT))	
J800	1-779-655-21	JACK (SMALL TYPE)(2 GANG) (S-LINK CONTROL A1)	
< COIL >			
L300	1-408-405-00	INDUCTOR	4.7uH
L301	1-408-405-00	INDUCTOR	4.7uH
L302	1-408-405-00	INDUCTOR	4.7uH
L303	1-408-405-00	INDUCTOR	4.7uH
< TRANSISTOR >			
Q800	8-729-620-05	TRANSISTOR 2SC2603-EF	
< RESISTOR >			
R300	1-247-807-31	CARBON	100 5% 1/4W
R301	1-247-807-31	CARBON	100 5% 1/4W
R302	1-247-807-31	CARBON	100 5% 1/4W
R303	1-247-807-31	CARBON	100 5% 1/4W
R304	1-247-807-31	CARBON	100 5% 1/4W
R305	1-249-429-11	CARBON	10K 5% 1/4W
R306	1-249-441-11	CARBON	100K 5% 1/4W
R307	1-247-807-31	CARBON	100 5% 1/4W
R308	1-249-429-11	CARBON	10K 5% 1/4W
R309	1-247-903-00	CARBON	1M 5% 1/4W
R310	1-247-807-31	CARBON	100 5% 1/4W
R311	1-247-807-31	CARBON	100 5% 1/4W
R312	1-247-807-31	CARBON	100 5% 1/4W
R313	1-247-804-11	CARBON	75 5% 1/4W
R314	1-249-409-11	CARBON	220 5% 1/4W
R315	1-247-804-11	CARBON	75 5% 1/4W
R849	1-247-807-31	CARBON	100 5% 1/4W
R850	1-249-429-11	CARBON	10K 5% 1/4W

DIGITAL

FL

HEADPHONE

Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
R851	1-249-425-11	CARBON	4.7K 5% 1/4W	R706	1-249-435-11	CARBON	33K 5% 1/4W
R852	1-249-393-11	CARBON	10 5% 1/4W	R712	1-249-421-11	CARBON	2.2K 5% 1/4W
R853	1-249-426-11	CARBON	5.6K 5% 1/4W	R713	1-247-843-11	CARBON	3.3K 5% 1/4W
		< TRANSFORMER >		R714	1-249-425-11	CARBON	4.7K 5% 1/4W
T300	1-416-701-11	COIL (WITH CORE)		R717	1-249-429-11	CARBON	10K 5% 1/4W
*****				R718	1-249-435-11	CARBON	33K 5% 1/4W
*	A-4724-137-A	FL BOARD, COMPLETE (US, Canadian)		R753	1-247-807-31	CARBON	100 5% 1/4W
*	A-4724-146-A	FL BOARD, COMPLETE (AEP, UK)		R754	1-249-406-11	CARBON	120 5% 1/4W
		*****		R755	1-249-409-11	CARBON	220 5% 1/4W
	2-389-320-01	CUSHION		R772	1-247-843-11	CARBON	3.3K 5% 1/4W
*	3-362-478-11	HOLDER (T), LED		R773	1-247-807-31	CARBON	100 5% 1/4W
*	4-996-686-11	HOLDER (FL)		R774	1-247-807-31	CARBON	100 5% 1/4W
		< CAPACITOR >		R775	1-247-807-31	CARBON	100 5% 1/4W
C700	1-126-154-11	ELECT	47uF 20% 6.3V	R776	1-247-807-31	CARBON	100 5% 1/4W
C701	1-126-154-11	ELECT	47uF 20% 6.3V	R781	1-247-807-31	CARBON	100 5% 1/4W
C765	1-162-290-31	CERAMIC	470PF 10% 50V	R782	1-249-441-11	CARBON	100K 5% 1/4W
C766	1-162-290-31	CERAMIC	470PF 10% 50V	R783	1-247-807-31	CARBON	100 5% 1/4W
C767	1-162-294-31	CERAMIC	0.001uF 10% 50V	R784	1-249-441-11	CARBON	100K 5% 1/4W
C768	1-162-294-31	CERAMIC	0.001uF 10% 50V	R785	1-247-807-31	CARBON	100 5% 1/4W
C772	1-162-213-31	CERAMIC	39PF 5% 50V	R786	1-247-807-31	CARBON	100 5% 1/4W
C773	1-162-294-31	CERAMIC	0.001uF 10% 50V			< SWITCH >	
C774	1-162-282-31	CERAMIC	100PF 10% 50V	S701	1-762-875-21	SWITCH, KEYBOARD (● REC)	
C775	1-162-282-31	CERAMIC	100PF 10% 50V	S702	1-762-875-21	SWITCH, KEYBOARD (■)	
C776	1-162-282-31	CERAMIC	100PF 10% 50V	S703	1-762-875-21	SWITCH, KEYBOARD (▶▶)	
C777	1-164-159-11	CERAMIC	0.1uF 50V	S704	1-762-875-21	SWITCH, KEYBOARD (◀◀)	
C778	1-162-294-31	CERAMIC	0.001uF 10% 50V	S705	1-762-875-21	SWITCH, KEYBOARD (■)	
		< CONNECTOR >		S706	1-762-875-21	SWITCH, KEYBOARD (▶)	
CN701	1-784-337-11	CONNECTOR (FFC) 25P		S711	1-762-875-21	SWITCH, KEYBOARD (MENU/NO)	
CN751	1-784-642-11	CONNECTOR, BOARD TO BOARD 11P		S712	1-762-875-21	SWITCH, KEYBOARD (YES)	
		< LED >		S713	1-475-543-11	ENCODER, ROTARY	
D753	8-719-303-02	LED SEL2510C-D (▶)				(◀◀ AMS ▶▶, PUSH ENTER)	
D754	8-719-301-52	LED SEL2810A-C (■)		S714	1-762-875-21	SWITCH, KEYBOARD (CLEAR)	
D755	8-719-301-39	LED SEL2210S (● REC)		S716	1-762-875-21	SWITCH, KEYBOARD (△ OPEN/CLOSE)	
		< FLUORESCENT INDICATOR TUBE >		S740	1-475-766-11	ENCODER, ROTARY (DIGITAL REC LEVEL)	
FL781	1-517-738-11	INDICATOR TUBE, FLUORESCENT		*****			
		< IC >		*	1-669-292-11	HEADPHONE BOARD	
IC771	8-759-525-49	IC MSM9201-02GS-K				*****	
		< TRANSISTOR >				< CAPACITOR >	
Q753	8-729-422-57	TRANSISTOR UN4111		C790	1-165-319-11	CERAMIC CHIP	0.1uF 50V
Q754	8-729-422-57	TRANSISTOR UN4111		C793	1-126-009-81	ELECT	100uF 20% 16V
Q755	8-729-422-57	TRANSISTOR UN4111		C794	1-124-473-11	ELECT	1000uF 20% 10V
Q781	8-729-620-05	TRANSISTOR 2SC2603-EF		C795	1-162-290-31	CERAMIC	470PF 10% 50V
Q782	8-729-620-05	TRANSISTOR 2SC2603-EF		C796	1-162-290-31	CERAMIC	470PF 10% 50V
		< RESISTOR >		C797	1-164-159-11	CERAMIC	0.1uF 50V
R702	1-249-421-11	CARBON	2.2K 5% 1/4W			< CONNECTOR >	
R703	1-247-843-11	CARBON	3.3K 5% 1/4W	* CN790	1-564-708-11	PIN, CONNECTOR (SMALL TYPE) 6P	
R704	1-249-425-11	CARBON	4.7K 5% 1/4W			< IC >	
R705	1-249-429-11	CARBON	10K 5% 1/4W	IC790	8-759-634-50	IC M5218AL	
		< JACK >		J790	1-770-904-11	JACK (LARGE TYPE)(PHONES)	

HEADPHONE	MOTOR	OUT SWITCH	POSITION SWITCH	POWER
------------------	--------------	-------------------	------------------------	--------------

Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
< RESISTOR >				< CAPACITOR >			
△ R778	1-247-731-11	CARBON	22 5% 1/2W F	C400	1-162-306-11	CERAMIC	0.01uF 20% 16V
△ R779	1-247-727-11	CARBON	10 5% 1/2W F	C401	1-162-306-11	CERAMIC	0.01uF 20% 16V
R790	1-247-807-31	CARBON	100 5% 1/4W	C402	1-126-933-11	ELECT	100uF 20% 16V
R791	1-249-433-11	CARBON	22K 5% 1/4W	C403	1-164-159-11	CERAMIC	0.1uF 50V
R792	1-249-441-11	CARBON	100K 5% 1/4W	C404	1-126-965-11	ELECT	22uF 20% 50V
R793	1-249-429-11	CARBON	10K 5% 1/4W	C700	1-126-916-11	ELECT	1000uF 20% 6.3V
R794	1-249-433-11	CARBON	22K 5% 1/4W	C701	1-126-925-11	ELECT	470uF 20% 10V
R795	1-247-807-31	CARBON	100 5% 1/4W	C702	1-164-159-11	CERAMIC	0.1uF 50V
R796	1-249-433-11	CARBON	22K 5% 1/4W	C703	1-164-159-11	CERAMIC	0.1uF 50V
R797	1-249-441-11	CARBON	100K 5% 1/4W	C704	1-126-916-11	ELECT	1000uF 20% 6.3V
R798	1-249-429-11	CARBON	10K 5% 1/4W	C705	1-164-159-11	CERAMIC	0.1uF 50V
R799	1-249-433-11	CARBON	22K 5% 1/4W	C706	1-126-939-11	ELECT	10000uF 20% 16V
< VARIABLE RESISTOR >				C707	1-126-963-11	ELECT	4.7uF 20% 50V
RV790	1-225-645-11	RES, VAR 20K/20K (PHONE LEVEL)		C708	1-126-966-11	ELECT	33uF 20% 50V
*****				C709	1-126-939-11	ELECT	10000uF 20% 16V
*	1-669-049-11	MOTOR BOARD		C710	1-126-969-11	ELECT	220uF 20% 50V
*****				C711	1-164-159-11	CERAMIC	0.1uF 50V
<CAPACITOR>				C712	1-128-554-11	ELECT	330uF 20% 63V
C10	1-164-159-11	CERAMIC	0.1uF 50V	C713	1-164-159-11	CERAMIC	0.1uF 50V
<CONNECTOR>				C714	1-164-159-11	CERAMIC	0.1uF 50V
CN14	1-506-481-11	PIN, CONNECTOR 2P		C715	1-164-159-11	CERAMIC	0.1uF 50V
*****				C716	1-164-159-11	CERAMIC	0.1uF 50V
*	1-669-050-11	OUT SWITCH BOARD		C717	1-164-159-11	CERAMIC	0.1uF 50V
*****				C718	1-164-159-11	CERAMIC	0.1uF 50V
<CONNECTOR>				C719	1-164-159-11	CERAMIC	0.1uF 50V
* CN10	1-568-951-11	PIN, CONNECTOR 2P		C726	1-164-159-11	CERAMIC	0.1uF 50V
<SWITCH>				C727	1-164-159-11	CERAMIC	0.1uF 50V
S10	1-571-300-21	SWITCH, ROTARY (TRAY OPEN)		C728	1-126-234-11	ELECT	2200uF 20% 16V
*****				C729	1-126-234-11	ELECT	2200uF 20% 16V
*	1-669-051-11	POSITION SWITCH BOARD		C730	1-164-159-11	CERAMIC	0.1uF 50V
*****				C731	1-164-159-11	CERAMIC	0.1uF 50V
<CONNECTOR>				C732	1-117-771-11	ELECT(BLOCK)	6800uF 20% 25V
CN12	1-564-723-11	PIN, CONNECTOR (SMALL TYPE) 7P		C733	1-117-771-11	ELECT(BLOCK)	6800uF 20% 25V
<SWITCH>				C734	1-164-159-11	CERAMIC	0.1uF 50V
S11	1-771-264-11	SWITCH, PUSH (CHUCKING IN)		C735	1-136-153-00	FILM	0.01uF 5% 50V
S12	1-771-264-11	SWITCH, PUSH (REC POSITION)		C736	1-136-153-00	FILM	0.01uF 5% 50V
S13	1-771-264-11	SWITCH, PUSH (PLAY POSITION)		C737	1-126-935-11	ELECT	470uF 20% 16V
*****				C740	1-126-964-11	ELECT	10uF 20% 50V
<CONNECTOR>				C741	1-164-159-11	CERAMIC	0.1uF 50V
* A-4724-134-A	POWER BOARD, COMPLETE (US, Canadian)			C742	1-164-159-11	CERAMIC	0.1uF 50V
* A-4724-143-A	POWER BOARD, COMPLETE (AEP, UK)			C743	1-164-159-11	CERAMIC	0.1uF 50V
*****				C744	1-164-159-11	CERAMIC	0.1uF 50V
* 3-309-144-21	HEAT SINK			C745	1-164-159-11	CERAMIC	0.1uF 50V
7-685-646-79	SCREW +BVTP 3X8 TYPE2 N-S			C746	1-164-159-11	CERAMIC	0.1uF 50V
*****				C747	1-164-159-11	CERAMIC	0.1uF 50V
< DIODE >				C748	1-164-159-11	CERAMIC	0.1uF 50V
D400	8-719-933-39	DIODE	HZS6C1L	< CONNECTOR >			
D705	8-719-068-31	DIODE	HZ7.5CP-TK	* CN401	1-564-709-11	PIN, CONNECTOR (SMALL TYPE) 7P	
				CN700	1-564-513-11	PLUG, CONNECTOR 10P	
				CN701	1-770-655-11	CONNECTOR, FFC/FPC 27P	
				CN704	1-770-649-11	CONNECTOR, FFC/FPC 21P	

The components identified by mark △ or dotted line with mark △ are critical for safety. Replace only with part number specified.	Les composants identifiés par une marque △ sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié.
--	--

MDS-JA20ES

PSW **RELEASE**

Ref. No.	Part No.	Description	Remark
S722	1-762-875-21	SWITCH, KEYBOARD (PLAY MODE)	
S723	1-762-875-21	SWITCH, KEYBOARD (REPEAT)	
S724	1-762-875-21	SWITCH, KEYBOARD (SCROLL/CLOCK SET)	
S725	1-762-875-21	SWITCH, KEYBOARD (DISPLAY/CHAR)	
S726	1-762-875-21	SWITCH, KEYBOARD (I/⏻)	
S731	1-762-875-21	SWITCH, KEYBOARD (TIME)	
S732	1-762-875-21	SWITCH, KEYBOARD (FADER)	
S733	1-762-875-21	SWITCH, KEYBOARD (FILTER)	
S734	1-762-875-21	SWITCH, KEYBOARD (MEGA CONTROL)	
S741	1-771-171-11	SWITCH, ROTARY (INPUT)	
S751	1-572-625-11	SWITCH, SLIDE (TIMER)	

*	1-669-454-11	RELEASE BOARD	

		< BATTERY >	
BT701	1-528-739-11	BATTERY, LITHIUM (SECONDARY)	
		< CONNECTOR >	
* CN703	1-569-499-11	PIN, CONNECTOR 3P	

		MISCELLANEOUS	

74	1-783-987-11	WIRE (FLAT TYPE) (25 CORE)	
106	1-783-988-11	WIRE (FLAT TYPE) (23 CORE)	
107	1-783-985-11	WIRE (FLAT TYPE) (27 CORE) (NOT BENDED)	
108	1-783-989-11	WIRE (FLAT TYPE) (11 CORE)	
△ 111	1-558-568-21	CORD, POWER (AEP)	
△ 111	1-559-583-21	CORD, POWER (US, Canadian)	
△ 111	1-696-586-11	CORD, POWER (UK)	
115	1-783-986-11	WIRE (FLAT TYPE) (27 CORE) (BENDED)	
119	1-783-984-11	WIRE (FLAT TYPE) (21 CORE)	
251	1-667-954-11	FLEXIBLE BOARD	
△ 259	8-583-028-02	OPTICAL PICK-UP KMS-260A/J1N	
261	1-500-565-11	HEAD, OVER LIGHT	
M101	A-4672-475-A	MOTOR ASSY, SPINDLE	
M102	A-4672-474-A	MOTOR ASSY, SLED	
M103	X-4949-791-1	MOTOR (LOADING) ASSY	
S102	1-762-148-21	SWITCH, PUSH (2 KEY)	
△ T700	1-431-880-11	TRANSFORMER, POWER (AEP, UK)	
△ T700	1-431-881-11	TRANSFORMER, POWER (US, Canadian)	

HARDWARE LIST

#1	7-685-885-09	SCREW +BVTT 4X16 (S)
#2	7-685-646-79	SCREW +BVTP 3X8 TYPE2 TT (B)
#3	7-685-871-01	SCREW +BVTT 3X6 (S)
#4	7-685-103-19	SCREW +P 2X5 TYPE2 NON-SLIT
#5	7-685-133-19	SCREW (DIA. 2.6) (IT3B)
#6	7-621-772-00	SCREW +B 2X3
#7	7-621-772-20	SCREW +B 2X5

Ref. No.	Part No.	Description	Remark
#8	7-621-772-40	SCREW +B 2X8	
#9	7-627-852-08	SCREW, PRECISION +P 1.7X2.5	

ACCESSORIES & PACKING MATERIALS			

	1-475-775-11	REMOTE COMMANDER (RM-D19M)	
	1-590-925-31	CORD, CONNECTION (AUDIO PIN CABLE)	
	1-777-172-11	CORD, CONNECTION (CONTROL AI CABLE)	(Canadian)
	3-862-517-11	MANUAL, INSTRUCTION (ENGLISH, FRENCH)	
	3-862-517-21	MANUAL, INSTRUCTION	(GERMAN, SPANISH, ITALIAN) (AEP)
	3-862-517-31	MANUAL, INSTRUCTION	(DUTCH, SWEDISH, PORTUGUESE) (AEP)
	4-983-537-01	COVER, BATTERY (for RM-D19M)	

The components identified by mark △ or dotted line with mark △ are critical for safety. Replace only with part number specified.	Les composants identifiés par une marque △ sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié.
--	--