

MS3367-5-9 CABLE TIE SPEC

Alternate P/N: TY24M

Description:

Maximum diameter: 1-1/4", length: 5/ 1/4", color: natural, MS3367 series tiedown

MS3367-5-9 Manufacturer certs (CofC) are provided free on all orders

Order this part online



Additional Information

Gov. Issued Name:	Tiedown Electrical Component Strap
NSN:	5975-00-111-3208
NIIN:	001113208
FSC:	Electrical Hardware and Supplies / 5975
Associated NSN(s):	<ul style="list-style-type: none">• 5975-00-109-0195• 5975-00-126-4840• 5975-00-497-3866• 5975-00-570-9647• 5975-00-756-2447• 5975-00-780-3531• 5975-01-026-2428• 5975-01-057-1136• 5975-01-155-6747• 5975-01-257-5656• 5975-01-343-1706
Schedule B:	3926.90.9995

ECCN:	EAR99
National Motor Freight:	157170, Plastic / Rubr Straps / Rope / Cord / Strip
Manufacturer Country:	United States

See page 2 for technical characteristics

MS3367-5-9 Specifications

End Attachment/fastening Facility:	Keeper
Color:	Natural
End Item Identification:	Route Clearance - Common Nsn - Used On Husky And 353 Other Weapon Systems Including 21n - Nuclear Reactors Program
End Type:	Plain
End Type:	W/attachment
Hole Quantity:	1
Material:	Plastic, Mil-m-20693, Comp A, Type 1
Minimum Tensile Strength:	30 Pounds Per Square Inch
Insignia:	Not Included
Length:	4.680 Inches Minimum
Specific Usage Design:	Wiring Harness.
Width:	0.146 Inches Maximum
Thickness:	0.055 Nominal Centimeters

How to Order

Order this cable tie from our inventory online by visiting <https://military-fasteners.com/electrical/tiedown-electrical-component-straps/MS3367-5-9> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.