






REV.	ECN. NO.	NAME	DATE




NOTES:

- 1.MATERIAL: NICKEL SILVER, THICKNESS 0.25mm
- 2.PACKAGING: TRAY PACKAGING
- 3.TEMPERATURE RANGE: -55°C TO +85°C

RoHS Compliant

TOLERANCE UNSPECIFIED		VITALCONN a vital connector company		FOR YOUR VITAL CONNECTION	
.0	± 0.38			TITLE: SFP1*1 CAGE WITH GROUNDING PIN	
.00	± 0.25				
.000	± 0.10				
ANGLE	± 3.00°				
MANUFACTURING COPY					
DRAWN BY:	BECKER	PART NO:	SC11B		REV: A
CHECKED BY:	VTA	SIZE: A4	UNIT:mm	SHEET:10F3	FCN: A4
APPROVED BY:	QPF	PROJECTION			http://www.vitalconn.com


REV.	ECN. NO.	NAME	DATE



RECOMMENDED BEZEL DESIGN

NOTES:
 ⚠ MINIMUM PITCH ILLUSTRATED, ENGLISH
 DIMENSIONS ARE FOR REFERENCE ONLY

RoHS Compliant

TOLERANCE UNSPECIFIED		VITALCON a vital connector company		FOR YOUR VITAL CONNECTION	
.0 ± 0.38		TITLE: SFP1*1 CAGE WITH GROUNDING PIN			
.00 ± 0.25					
.000 ± 0.10					
ANGLE ± 3.00*					
MANUFACTURING COPY					
DRAWN BY:	BECKER	PART NO:	SC11B		REV: A
CHECKED BY:	VTA	SIZE: A4	UNIT:mm	SHEET:30F3	FCN: A4
APPROVED BY:	QPF	PROJECTION		http://www.vitalconn.com	