




REV.	ECN. NO.	NAME	DATE




NOTES:


1.MATERIAL: NICKEL SILVER, THICKNESS 0.25mm


2.PACKAGING: TRAY PACKAGING

3.TEMPERATURE:
OPERATION : -40°C TO +85°C
STORAGE : -55°C TO +105°C


RoHS Compliant

TOLERANCE UNSPECIFIED		VITALCON a vital connector company		FOR YOUR VITAL CONNECTION	
.0	± 0.38				
.00	± 0.25	TITLE: SFP1*6 CAGE			
.000	± 0.10				
ANGLE	± 3.00*				
MANUFACTURING COPY					
DRAWN BY:	BECKER	PART NO:	SC16A		REV: A
CHECKED BY:	VTA	SIZE: A4	UNIT:mm	SHEET:10F4	FCN: A4
APPROVED BY:	QPF	PROJECTION		http://www.vitalconn.com	







REV.	ECN. NO.	NAME	DATE

TOLERANCE UNSPECIFIED .0 ± 0.38 .00 ± 0.25 .000 ± 0.10 ANGLE ± 3.00° MANUFACTURING COPY		VITALCON a vital connector company		FOR YOUR VITAL CONNECTION			
		TITLE: SFP1*6 CAGE					
DRAWN BY:	BECKER	PART NO:	SC16A		REV: A		
CHECKED BY:	VTA	SIZE: A4	UNIT:mm	SHEET:30F4	FCN: A4		
APPROVED BY:	QPF	PROJECTION			http://www.vitalconn.com		


REV.	ECN. NO.	NAME	DATE




MOUNTED ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL



SECTION A-A



MOUNTED BELLY TO BELLY ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL



SECTION A-A

RoHS Compliant

TOLERANCE UNSPECIFIED		VITALCON a vital connector company		FOR YOUR VITAL CONNECTION	
.0	± 0.38			TITLE: SFP1*6 CAGE	
.00	± 0.25	DRAWN BY: BECKER		PART NO: SC16A	
.000	± 0.10	CHECKED BY: VTA		UNIT:mm	
ANGLE	± 3.00°	APPROVED BY: QPF		SHEET:40F4	
MANUFACTURING COPY		PROJECTION		http://www.vitalconn.com	
				REV: A	
				FCN: A4	